EDOX

Maître Horloger - Les Genevez
depuis 1884

EDOXIONARY

FOR WATCH PROFESSIONALS

2018 – 2019

EDOXIONARY

FOR WATCH PROFESSIONALS

2018 – 2019

EDOX

Maître Horloger - Les Genevez
depuis 1884

TIMING FOR CHAMPIONS

THE EDOX HISTORY



CHRISTIAN RUEFLI-FLURY


FOUNDER OF EDOX

1860 Born in Courrendlin (Switzerland), son of a foundry master. Educated in Courrendlin.

1870 Moved to Grenchen (Switzerland). Commenced horology apprenticeship with Urs Schild, one of the great Master Watchmakers, before joining the Eterna watch company.

1883 Married Pauline Flury. Worked for Jean Ægler - watchmaker in Biel/Bienne until 1883.

1884 Founded his own watchmaking atelier in Biel/Bienne. Principal founder of the Lake Biel-Bienne Steam Boat Company and originator of the Evilard funicular and the Wildermeth Hospital in Biel/Bienne. Made numerous significant donations to regional hospitals and to children's nurseries in Biel/Bienne and gave monetary support to retirement homes and sanatoriums for the hard of hearing.









1884

IT ALL BEGAN WITH
A TRUE LOVE STORY

Christian Ruefli-Flury, a highly talented and romantic watchmaker "Maître-Horloger" from Grenchen in Switzerland, produces a pocket watch for the 25th birthday of his beloved wife Pauline. Impressed by this exquisite gift, she convinces her husband to set up his own watch making company in Biel, a city famous for its well-educated watch engineers. Christian Ruefli-Flury called his company "Edox" which means "measuring of time" in ancient Greek.

1900

THE BIRTH OF A LOGO

The hourglass was officially used as a timeless symbol of Edox and since then, it has been a proud part of the official Edox company logo.

1955

A GROWING COMPANY

At that time, Edox employed up to 500 watchmakers and the company moved into new, modern and larger production facilities. Edox was amongst Switzerland's leading watch companies.











1961

THE WATER CHAMPION

The famous "Delfin" timepiece was launched, featuring a double caseback, special protective gaskets and a specially invented double O'ring system, setting new standards of shock protection and water resistance.

1965

HYDRO-SUB

The revolutionary Hydro-Sub collection was launched, featuring the famous double O'crown patented Edox gasket for increased water resistance.

1970

THE FIRST GENUINE WORLD TIME WATCH

This year saw the introduction of the world's first truly global timepiece, the "Geoscope" watch. Covering all time zones, the watch provided timekeeping for almost 50 different cities around the world, as well as local time.

1998

WORLD RECORD STILL UNBROKEN

Edox engineers and watchmakers developed the world's slimmest calendar watch, the "Les Bémonts Ultra Slim" collection. The movement had a thickness of only 1.4 mm, which is a technical record still held by Edox to this day.

2010 2016 2018








2010

THE TIMEKEEPER

Edox becomes the official WRC timekeeper and launches a new collection dedicated to rally drivers, true virtuosos of the tarmac, snow and ice, and to all devotees of the automobile and motor-racing world.

2016

SAUBER F1® TEAM

Edox is the official Premium Partner of **Sauber F1® Team** and steps in the thrilling world of Formula 1.

A new collection dedicated to this prestigious partner is also launched in 2016. This partnership is a strong testimony of Edox's presence amongst the most reknown and active Swiss watch brands.

2016

NEW FACTORY

Due to growing production demand, the factory capacity has expanded with a second floor.

2018

CARBON

EDOX launches a new CO-1 Collection, made of stainless steel and super resistant carbon. The case itself and the bezel are made of carbon, for a ultra-sporty look.

Collection's evolution

Edox has shown technicity and craftmanship with the Grand Ocean collection since 2009. With superb timepieces featuring special movements such as Jumping Hour complication or Certified Chronometer, Edox has reached the close circle of talented and skilled Swiss watchmakers.



2009



2011



2012



2013



2014



2016



Edox has always had a special bonding with the sailing world. In 2008, Edox made his first step into world class sailing with a major timekeeping project for international regattas. The Grand Ocean collection crowns this statement by proposing since many years timepieces that feature an unforgettable look and great enginuity.

GRAND OCEAN


SPIRIT OF THE OCEAN





01123 3BUCA NBUN

Transparent caseback
Boîtier avec fond transparent
Durchsichtiger Gehäuseboden
Tapa transparente
シースルーケースバック
透明後底蓋
Прозрачная крышка
غطاء خلفي شفاف مع نقش لخريطة العالم



1 Crown equipped with double O'ring for perfect water-resistance
Couronne équipée d'un double joint pour une étanchéité parfaite
Krone mit Doppel-O-Ring-Dichtung für perfekte Wasserdichtheit
Corona con doble junta para una perfecta resistencia al agua
ダブルOリングを備えたリューズにより優れた防水性能を発揮します。
配備完美防水的雙防水圈錶冠
Заводная головка оснащена двойной О-прокладкой для идеальной водонепроницаемости
تم تزويد التاج بحلقتين لمنع التسرب للحصول على مقاومة مائية مثالية

2 Hand design like a compass needle
Aiguilles au design de boussole
Zeigerdesign im Stil einer Kompassnadel
Diseño de manecilla como una aguja de brújula
コンパス針のようなデザインの針
羅盤指南針概念計時指針
Дизайн стрелок как у компаса
ميناء مصمم على شكل بوصلة

3 Typical Grand Ocean triple horn design
Design Grand Ocean typique à triple corne
Dreiteiliger Bandanstoss, typisch für die Grand Ocean
Diseño típico de Grand Ocean con tres asas
グランドオーシャンの特徴のトリプルホーン(三股)デザイン
帆船系列具特有的三叉錶殼設計
Типичный для Grand Ocean дизайн с тройными ушками
تصميم القرون الثلاثة المميز لعلامة Grand Ocean



CHRONOGRAPH AUTOMATIC
01123 357RCA NBUR Ø 45 MM



CHRONOGRAPH AUTOMATIC
01123 3ORCA ABUN Ø 45 MM



CHRONOGRAPH AUTOMATIC
01123 3BUCA NBUN Ø 45 MM



ST STEEL
PVD
10 ATM
20mm
10mm
80g

AUTOMATIC PHANTOM OF TIME
85301 357RN NIR Ø 41 MM



ST STEEL
PVD
10 ATM
20mm
10mm
80g

AUTOMATIC PHANTOM OF TIME
85301 37J AID Ø 41 MM



ST STEEL
10 ATM
20mm
10mm
80g

AUTOMATIC PHANTOM OF TIME
85301 3 AIN Ø 41 MM



ST STEEL
10 ATM
20mm
10mm
80g

AUTOMATIC PHANTOM OF TIME
85301 3 GIN Ø 41 MM

DAY DATE · ST STEEL · PVD · 30 ATM · 22mm · 13mm · 121g




AUTOMATIC DAY DATE
88002 357RCA AIR Ø 45 MM

DAY DATE · ST STEEL · PVD · 30 ATM · 22mm · 13mm · 121g



AUTOMATIC DAY DATE
88002 357RCA NIR Ø 45 MM



DAY DATE · ST STEEL · 30 ATM · 22mm · 13mm · 121g



AUTOMATIC DAY DATE
88002 3ORCA ABUN Ø 45 MM

DAY DATE · ST STEEL · 30 ATM · 22mm · 13mm · 121g



AUTOMATIC DAY DATE
88002 3CA NIN Ø 45 MM




EDOX
MON 8
AUTOMATIC
990 FT.
300 M.
SWISS MADE
GRAND-OCEAN
TACHYMILER



QUARTZ
ST STEEL
PVD
30 ATM
22mm
12.5mm
121g

CHRONOGRAPH
10226 357JBUCA BUID Ø 45 MM



QUARTZ
ST STEEL
PVD
30 ATM
22mm
12.5mm
121g

CHRONOGRAPH
10226 357RCA NIR Ø 45 MM





QUARTZ
ST STEEL
30 ATM
22mm
12.5mm
121g

CHRONOGRAPH
10226 3BUCA BUIN Ø 45 MM



QUARTZ
ST STEEL
30 ATM
22mm
12.5mm
121g

CHRONOGRAPH
10226 3CA NBUN Ø 45 MM



Q QUARTZ
ST STEEL
PVD
10 ATM
20mm
7.2mm
80g

ULTRA SLIM
56002 37JC AID Ø 41 MM



Q QUARTZ
ST STEEL
PVD
10 ATM
20mm
7.2mm
80g

ULTRA SLIM
56002 357RC NIR Ø 41 MM





Q QUARTZ
ST STEEL
10 ATM
20mm
7.2mm
80g

ULTRA SLIM
56002 3C NIN Ø 41 MM



Q QUARTZ
ST STEEL
10 ATM
20mm
7.2mm
80g

ULTRA SLIM
56002 3C AIN Ø 41 MM



Q QUARTZ
ST STEEL
10 ATM
20mm
7.2mm
80g

ULTRA SLIM
56002 3C BUIN Ø 41 MM

Collection’s evolution

Also, by becoming the Official Timekeeper of the Class-1 World Championship in 2006, Edox made a big step into the very recluse world of timekeeping and sponsoring within the Swiss watch industry.



2006



2008



2010



2011




2013



2015



2018



Offshore pilots are real heroes of extreme water races.

They have to keep their nerves under all circumstances, have perfect timing reaction and ensure the perfect race and aim for the title. The speed sometimes reaches a breathtaking 270 km/h. What pilots often say is “What you see in front of you is already history”.

CO-1
OFFSHORE INSTRUMENTS







01122 37R NIR

1 Strong and ultra-solid case construction
Boîtier ultrasolide
Solide, ultrarobuste Gehäusekonstruktion
Caja ultrasólida y fuerte
屈強で堅牢なケース構造
堅固耐用的錶殼結構設計
Сильная и ультра-прочная конструкция корпуса
علبة ذات بنية قوية وصلبة للغاية

Offshore boat propeller engraving on the thick caseback
Hélice de hors-bord gravée sur le dos du boîtier de 2.2 mm d'épaisseur
2.2 mm dicker Gehäuseboden mit Gravur einer Offshore-Racer-Schiffsschraube
Grabado de hélice de barco en la tapa
オフショアボートのプロペラが刻印された2.2mm厚ケースバック
快艇螺旋槳立體圖騰鐫刻旋緊式後底蓋
Гравировка пропеллера морского катера на задней крышке толщиной 2.2 мм
نقش لمروحة القارب البحري على الغطاء الخلفي السميك

2 3 mm thickness of sapphire crystal
Épaisseur du verre saphir de 3 mm
3 mm dickes Saphirglas
Cristal de zafiro de 3 mm
3mm厚のサファイアクリスタル
3 毫米厚的藍寶石水晶鏡面
Сапфировое стекло толщиной 3 мм
زجاجة كريستال بلوري بسمك ٣ مم

3 Automatic Helium valve for specific deep sea diving
Valve à hélium automatique spécifiquement conçue pour la plongée en eau profonde
Automatisches Heliumventil für Tieftauchgänge
Válvula automática de helio para inmersión profunda
本格的な深海ダイビングのためのオートヘリウムバルブ
特別為深海潛水設計的自動排氦
Автоматический гелиевый клапан для глубоководного погружения
صمام هيليوم أوتوماتيكي خاص بالغوص في أعماق البحار

4 Scratch resistant ceramic bezel with 120 clicks
Lunette en céramique 120 clics résistante aux rayures
Kratzfeste Keramiklünette mit 120 Einrastpositionen
Engaste de cerámica resistente a los arañazos, de 120 clics
120クリックの耐傷性に優れたセラミックベゼル
精密耐磨損旋轉120刻度的陶瓷外圈
Устойчивый к царапинам керамический безель с 120 зубьями трещотки
حافة من السيراميك المقاوم للخدش مع ١٢٠ سقاطة






CARBON CHRONOGRAPH AUTOMATIC **NEW**
01125 CLN5N NIR Ø 45 MM





CARBON CHRONOGRAPH AUTOMATIC **NEW**
01125 CLNGN NING Ø 45 MM





CARBON CHRONOGRAPH AUTOMATIC **NEW**
01125 CLNRN NINRO Ø 45 MM





CARBON CHRONOGRAPH AUTOMATIC **NEW**
01125 CLNBUN NINBU Ø 45 MM

DAY DATE
ST STEEL
50 ATM
25mm
16.5mm
236g



CHRONOGRAPH AUTOMATIC
01122 3M BUIN Ø 45 MM

DAY DATE
ST STEEL
50 ATM
25mm
16.5mm
236g



CHRONOGRAPH AUTOMATIC
01122 3NM BUINO Ø 45 MM

DAY DATE
ST STEEL
50 ATM
25mm
16.5mm
236g



CHRONOGRAPH AUTOMATIC
01122 3M NIN Ø 45 MM

DAY DATE
ST STEEL
50 ATM
25mm
16.5mm
170g



CHRONOGRAPH AUTOMATIC
01122 3 BUIN Ø 45 MM

DAY DATE
ST STEEL
50 ATM
25mm
16.5mm
170g



CHRONOGRAPH AUTOMATIC
01122 3N BUINO Ø 45 MM

DAY DATE
ST STEEL
50 ATM
25mm
16.5mm
170g



CHRONOGRAPH AUTOMATIC
01122 3 NIN Ø 45 MM

DAY DATE
ST STEEL
50 ATM
25mm
16.5mm
236g



CHRONOGRAPH AUTOMATIC
01122 3BNM BINN Ø 45 MM



DAY DATE
ST STEEL
50 ATM
25mm
16.5mm
170g



CHRONOGRAPH AUTOMATIC
01122 3BN BINN Ø 45 MM

DAY DATE
ST STEEL
PVD
50 ATM
25mm
16.5mm
170g



CHRONOGRAPH AUTOMATIC
01122 37R NIR Ø 45 MM



DAY DATE
ST STEEL
50 ATM
25mm
13.8mm
195g

OFFSHORE-1 PROFESSIONAL
80099 3M NIN Ø 43 MM



DAY DATE
ST STEEL
50 ATM
25mm
13.8mm
195g

OFFSHORE-1 PROFESSIONAL
80099 3OM NINO Ø 43 MM



DAY DATE
ST STEEL
50 ATM
25mm
13.8mm
195g

OFFSHORE-1 PROFESSIONAL
80099 3RM NIN Ø 43 MM



DAY DATE
ST STEEL
PVD
50 ATM
25mm
13.8mm
130g

OFFSHORE-1 PROFESSIONAL
80099 37R NIR Ø 43 MM



DAY DATE
ST STEEL
50 ATM
25mm
13.8mm
130g

OFFSHORE-1 PROFESSIONAL
80099 3O NINO Ø 43 MM



DAY DATE
ST STEEL
50 ATM
25mm
13.8mm
130g

OFFSHORE-1 PROFESSIONAL
80099 3R NIN Ø 43 MM







N-POLE 42.195 LIMITED EDITION **NEW**
10221 3NP18 NNP18 Ø 45 MM
300 PIECES WORLDWIDE



Additional leather strap in the watch box







Free diver and world record holder Christian Redl is the inspiration of the collection "Sharkman".





SHARKMAN II LIMITED EDITION **NEW**
10234 357RN NIR Ø 45 MM
LIMITED EDITION TO 300 PIECES





SHARKMAN II LIMITED EDITION **NEW**
10234 357GN NINB Ø 45 MM
LIMITED EDITION TO 300 PIECES





SHARKMAN II LIMITED EDITION **NEW**
10234 30 NIN Ø 45 MM
LIMITED EDITION TO 300 PIECES





SHARKMAN II LIMITED EDITION **NEW**
10234 3R BIBU Ø 45 MM
LIMITED EDITION TO 300 PIECES





SHARKMAN II LIMITED EDITION **NEW**
10234 30 BUIN Ø 45 MM
LIMITED EDITION TO 300 PIECES





Q QUARTZ · He · ST STEEL · 50 ATM · 25mm · 14mm · 210g

CHRONOGRAPH
10221 3NM BUINO Ø 45 MM



Q QUARTZ · He · ST STEEL · 50 ATM · 25mm · 14mm · 210g

CHRONOGRAPH
10221 3M NIN Ø 45 MM



Q QUARTZ · He · ST STEEL · PVD · 50 ATM · 25mm · 14mm · 210g

CHRONOGRAPH
10221 357RM BINR Ø 45 MM



Q QUARTZ · He · ST STEEL · 50 ATM · 25mm · 14mm · 150g

CHRONOGRAPH
10221 3N BUINO Ø 45 MM



Q QUARTZ · He · ST STEEL · 50 ATM · 25mm · 14mm · 150g

CHRONOGRAPH
10221 3 NIN Ø 45 MM



Q QUARTZ · He · ST STEEL · PVD · 50 ATM · 25mm · 14mm · 150g

CHRONOGRAPH
10221 357R BINR Ø 45 MM


TACHYMETER
EDOX
CHRONOFFSHORE 1
1650 ft 500 m
SWISS MADE



25mm
14mm
150g

CHRONOGRAPH
10221 37R NIR Ø 45 MM



25mm
14mm
150g

CHRONOGRAPH
10221 37N NINJ Ø 45 MM



25mm
14mm
150g

CHRONOGRAPH **NEW**
10221 357RN NIR7 Ø 45 MM



25mm
14mm
150g

CHRONOGRAPH
10221 3BU7 BUIN7 Ø 45 MM

Q QUARTZ
ST STEEL
PVD
20 ATM
21mm
11mm
98g



CHRONOLADY
10225 37R BRIR Ø 38 MM

Q QUARTZ
ST STEEL
PVD
20 ATM
21mm
11mm
98g



CHRONOLADY
10225 37RB BIR Ø 38 MM

Q QUARTZ
ST STEEL
20 ATM
21mm
11mm
98g



CHRONOLADY
10225 3N BUIN Ø 38 MM

Q QUARTZ
ST STEEL
20 ATM
21mm
11mm
98g




CHRONOLADY
10225 3B BUIN Ø 38 MM

Q QUARTZ
ST STEEL
20 ATM
21mm
11mm
98g



CHRONOLADY
10225 3B BIN Ø 38 MM



Racing car drivers are enduring very difficult conditions: speed, adrenaline, danger, heat...

For professional drivers, wearing a Chronorally timepiece means a lot in terms of quality. Chronorally collection is built to withstand these harsch environment conditions.

CHRONORALLY

THE DRIVER'S INSTRUMENT





38001 TINBU1 BUIB1

1 Over-sized pusher for perfect grip on the watch commands
Poussoir de grande taille pour une maîtrise parfaite des fonctions de la montre
Besonders grosser Drücker für sicheren Zugriff auf die Uhrenfunktionen
Pusher de gran tamaño para una sujeción perfecta de los mandos
時計の操作がしやすい大型プッシュボタン
超大尺寸計時按把為手錶贏得十足的吸引力
Увеличенная кнопка хронографа для удобного использования часов
مكبس كبير لتحكم مثالي في ضبط الساعة

2 Rubber strap with tyre imprints
Bracelet en caoutchouc avec design empreintes de pneu
Kautschukarmband mit Reifenprofil
Correa de caucho con motivos de neumáticos
タイヤ模様のラバーストラップ
車胎紋矽橡膠帶
Каучуковый ремешок с рисунком протектора шин
سوار مطاطي مزين برسوم العجلات

3 Robust titanium construction for extreme use conditions
Construction en titane pour des conditions d'utilisation extrêmes
Robuste Titanausführung für Widerstandsfähigkeit unter Extrembedingungen
Construido en titanio macizo para condiciones extremas de uso
過酷な環境下にも耐え得る堅牢なスティール構造
堅硬鈦金屬結構適合用於激烈的情況下使用
Прочный титановый корпус для использования в экстремальных условиях
بنية من الفولاذ الصلب لتتحمل ظروف الاستعمال القاسية



CHRONORALLY
38001 TINBU1 BUIB1 Ø 48 MM



CHRONORALLY
38001 TIN BUIN Ø 48 MM



Chronorally casebacks pays tribute to rally world and aficionados with special rubber inprint or tyre profile.



CHRONORALLY
38001 TIN AIN Ø 48 MM



CHRONORALLY
38001 TIN NIN Ø 48 MM





CHRONORALLY
10302 3M NIN2 Ø 45 MM





CHRONORALLY
10302 3MV GIN Ø 45 MM



Such high pressure resistant case backs or comparable are used for the Chronorally collection.





CHRONORALLY
10302 3M GIN Ø 45 MM





CHRONORALLY
10302 3M AIN Ø 45 MM





CHRONORALLY
10302 37N GIN Ø 45 MM





CHRONORALLY
10302 37NJ NOJ3 Ø 45 MM





CHRONORALLY
10302 37N NIN Ø 45 MM





CHRONORALLY
10302 3 GIN Ø 45 MM





CHRONORALLY
10302 3 GR3 Ø 45 MM



Such high pressure resistant case backs or comparable are used for the Chronorally collection.





CHRONORALLY
10302 3 NIN2 Ø 45 MM





CHRONORALLY
10302 3 AIN Ø 45 MM





CHRONORALLY
10302 3V2 BUV3 Ø 45 MM





CHRONORALLY
10302 3V GIN Ø 45 MM



Edox Chronorally-S timepieces are built to withstand harsh conditions, such as heat, sand, dust.

Only solid cases and legendary engineering can produce such robust timepieces. Made of steel, motorized by super-accurate movements, the Chronorally-S Collection is made for rally aficionados.

CHRONORALLY-S

RALLY INSTRUMENTS





09503 37NNONAN NNO

1 Tachymeter scale on the bezel for speed measuring
Echelle tachymétrique sur la lunette pour mesure de la vitesse
Tachymeterskala auf der Lünette für Geschwindigkeitsmessung
Escala de taquímemetro en el bisel para medir la velocidad
速度測定用のタキメーター付きベゼル
錶圈上的測速儀可測量速度
Тахиметрическая шкала на безеле для измерения скорости
مقياس التاكوميتر على الإطار الدائري لقياس السرعة



ST STEEL
10 ATM
22mm
13.7mm
175g

CHRONOGRAPH AUTOMATIC **NEW**
08005 3BUM BUBG Ø 43 MM



ST STEEL
10 ATM
22mm
13.7mm
175g

CHRONOGRAPH AUTOMATIC **NEW**
08005 3NOM NOO Ø 43 MM



ST STEEL
10 ATM
22mm
13.7mm
120g

CHRONOGRAPH AUTOMATIC **NEW**
08005 3BUCBU BUBG Ø 43 MM



ST STEEL
10 ATM
22mm
13.7mm
120g

CHRONOGRAPH AUTOMATIC **NEW**
08005 37NNVCV NNV Ø 43 MM



ST STEEL
PVD
10 ATM
22mm
13.7mm
120g

CHRONOGRAPH AUTOMATIC **NEW**
08005 37NRCN NNR Ø 43 MM

Q QUARTZ
ST STEEL
10 ATM
22mm
11.6mm
145g



CHRONOGRAPH **NEW**
09503 3BUM BUBG Ø 43 MM

Q QUARTZ
ST STEEL
10 ATM
22mm
11.6mm
145g



CHRONOGRAPH **NEW**
09503 3NOM NOO Ø 43 MM

Q QUARTZ
ST STEEL
10 ATM
22mm
11.6mm
90g



CHRONOGRAPH **NEW**
09503 3BUCBU BUBG Ø 43 MM

Q QUARTZ
ST STEEL
10 ATM
22mm
11.6mm
90g



CHRONOGRAPH **NEW**
09503 37NNONAN NNO Ø 43 MM

Q QUARTZ
ST STEEL
10 ATM
22mm
11.6mm
90g



CHRONOGRAPH **NEW**
09503 37NNVCV NNV Ø 43 MM

Q QUARTZ
ST STEEL
PVD
10 ATM
22mm
11.6mm
90g



CHRONOGRAPH **NEW**
09503 37NRCN NNR Ø 43 MM



DAY DATE **NEW**
84301 3BUM BUBG Ø 43 MM



DAY DATE **NEW**
84301 37NNNAG NNV Ø 43 MM



DAY DATE **NEW**
84301 37NRCN NNR Ø 43 MM



DAY DATE **NEW**
84301 3NCV NNV Ø 43 MM



DAY DATE **NEW**
84301 3BUCBU BUBEB Ø 43 MM

Collection's evolution

By launching the Delfin collection in 1961, Edox has shown his know-how in engineering "Water Champion" timepieces, thanks to the double O'ring or reinforced caseback system for improving the water resistance of the watch.



1961



1967



1969



1970



1973




2014



2016



2018



The Delfin collection was first launched in 1961 and used revolutionary watch parts such as double O'ring gaskets for crowns and pushers and a special shock absorbing caseback in order to withstand an impressive water resistance of 200 meters.

Nowadays, this special equipment is still featured in Edox Delfin timepieces.

DELFIN THE ORIGINAL

THE WATER CHAMPION WATCH






10109 357RNCA NIRG



1 Superluminova applied on the hands and indices for reinforced luminescence (60% better than standard quality)
Superluminova appliqué sur les aiguilles et index pour une luminescence renforcée (60% meilleure que la qualité habituelle)
Indizes sowie Zeiger mit Leuchtmasse (Superluminova GL X1) beschichtet. Dies führt zu einer ca. 60% besseren Leuchtkraft gegenüber einer Standardqualität.
Superluminova en agujas e índices para reforzar la luminiscencia (60% mejor que la calidad standard)
アップライドインデックスと針にスーパールミノヴァを採用。(通常のルミノヴァよりも60%以上の発光)
加強夜光效果的指針與刻度, (比標準亮度高出60%)
Суперлюминова нанесена на стрелки и индексы для обеспечения более яркого свечения (на 60% лучше стандартного качества)
طلاء سوبرلومينوفا الفسفوري على عقارب الساعة وعلى الأرقام لإنارة قوية
(أقوى بـ ٦٠٪ من النوعية العادية)



2 Double O'rings for crowns and pushers, special shock absorbing caseback
Joints doubles pour la couronne et les poussoirs, fond spécial pour absorber les chocs
Krone und Drücker mit Doppel-O-Ring-Dichtung; verstärkter Gehäuseboden für besondere Stosssicherheit
Juntas dobles en coronas y pushers, tapa especial con mayor protección antigolpes
ダブルOリングを備えたリューズとプッシュボタン、耐衝撃性能のケースバック
雙防水圈的錶冠及按把, 特殊防震後蓋,
Двойные О-прокладки заводных головок и кнопок хронографа, специальный амортизирующий корпус
حلقتان للتيجان والمكابس، وغطاء خلفي مصمم لامتصاص الصدمات

3 Iconic design pays tribute to original Delfin of conceived in the 70's
Design iconique rendant hommage au modèle Delfin original conçu dans les années 70
Legendäres Design in Anlehnung an die Original-Delfin aus den 1970er-Jahren
El emblemático diseño rinde homenaje al Delfin original creado en los años setenta
70年代のデルフィンオリジナルモデルに敬意を表した象徴的なデザイン
代表性的設計向70年代的原創設計海王子致敬
Иконический дизайн отдает дань оригинальной модели Delfin, созданной в 1970-х гг.
تصميم أيقوني لتكريم علامة Delfin المبتكرة في السبعينات





DAY DATE AUTOMATIC **NEW**
88005 3M BUIN Ø 43 MM





DAY DATE AUTOMATIC **NEW**
88005 3M NIN Ø 43 MM





DAY DATE AUTOMATIC **NEW**
88005 3CA BUIR Ø 43 MM





DAY DATE AUTOMATIC **NEW**
88005 3CA NIN Ø 43 MM

DELFIN

DAY DATE
ST STEEL
PVD
20 ATM
24.5mm
12.7mm
125g



DAY DATE AUTOMATIC **NEW**
88005 357BUNCA NIBU Ø 43 MM

DAY DATE
ST STEEL
PVD
20 ATM
24.5mm
12.7mm
125g



DAY DATE AUTOMATIC **NEW**
88005 357RNCA NIR Ø 43 MM

DAY DATE
ST STEEL
PVD
20 ATM
24.5mm
12.7mm
125g



DAY DATE AUTOMATIC **NEW**
88005 357RCA AIR Ø 43 MM



Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
162g

CHRONOGRAPH
10109 3M NIN Ø 43 MM



Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
162g

CHRONOGRAPH
10109 3M BUIN Ø 43 MM




Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
162g

CHRONOGRAPH
10109 3M AIN Ø 43 MM




Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
102g

CHRONOGRAPH
10109 357NCA NIN Ø 43 MM



Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
102g

CHRONOGRAPH
10109 3CA BUIN Ø 43 MM



Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
102g

CHRONOGRAPH
10109 3CA AIN Ø 43 MM



20mm
12mm
162g

CHRONOGRAPH
10109 357JVM VID Ø 43 MM



20mm
12mm
162g

CHRONOGRAPH
10109 357RBUM NIR Ø 43 MM



20mm
12mm
102g

CHRONOGRAPH
10109 357GNCA NINB Ø 43 MM



20mm
12mm
102g

CHRONOGRAPH
10109 357RNCA NIRG Ø 43 MM



Q QUARTZ
ST STEEL
PVD
20 ATM
20mm
12mm
162g

CHRONOGRAPH
10110 357JM AID Ø 43 MM





Q QUARTZ
ST STEEL
PVD
20 ATM
20mm
12mm
102g

CHRONOGRAPH
10110 357JCA AID Ø 43 MM



Q QUARTZ
ST STEEL
PVD
20 ATM
20mm
12mm
102g

CHRONOGRAPH
10110 357RCA AIR Ø 43 MM



Q QUARTZ
ST STEEL
PVD
20 ATM
20mm
12mm
102g

CHRONOGRAPH
10110 357RNCA NIR Ø 43 MM



Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
162g

CHRONOGRAPH
10110 3M BUIN Ø 43 MM



Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
162g

CHRONOGRAPH
10110 3M AIN Ø 43 MM



Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
162g

CHRONOGRAPH
10110 3M NIN Ø 43 MM



Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
102g

CHRONOGRAPH
10110 3CA BUIN Ø 43 MM



Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
102g

CHRONOGRAPH
10110 3CA AIN Ø 43 MM



Q QUARTZ
ST STEEL
20 ATM
20mm
12mm
102g

CHRONOGRAPH
10110 3CA NIN Ø 43 MM


TACHYMETER
EDOX
DELFIN - THE ORIGINAL
THE WATER CHAMPION
WATER RESISTANT 200M
SWISS
MADE



Edox homeland is the land of traditional watchmaking and is the crib of the modern watchmaking craftmanship. Our land is rich of more than 400 years of history in watchmaking and our pride is to respect our elders'work and heritage.

LES BÉMONTS
STYLE & ELEGANCE





85300 37R GIR

Transparent caseback offering view on the beating heart of the watch
Dos de boîtier transparent permettant d’observer le « cœur » en mouvement de la montre
Dank des durchsichtigen Gehäusebodens wird das schlagende Herz der Uhr sichtbar
Tapa de reloj transparente que permite ver los latidos del corazón del reloj
時計が刻む鼓動が観賞できるシースルーケースバック
鏤空後底蓋可欣賞機芯的運轉
Прозрачная задняя крышка открывает вид на бьющееся сердце часов
غطاء خلفي شفاف يمكن من مشاهدة قلب الساعة النابض

Classical, elegant and timeless design, with wide dial openings and pure case lines
Design classique, élégant et intemporel avec de larges ouvertures de cadran et des lignes de boîtier pures
Klassisches, elegantes und zeitloses Design mit grossen Zifferblattöffnungen und klaren Gehäusekonturen
Diseño clásico, elegante e intemporal, con grandes aperturas en la esfera y caja de líneas puras
クラシカルでエレガント、時代に左右されないデザインと、大きな開口部を持つダイアルデザインとシンプルなケースライン
經典，優雅，和永恆的設計，搭配拱弧線錶殼
Классический, элегантный и нестареющий дизайн, с широкими окнами на циферблате и чистыми линиями корпуса
تصميم كلاسيكي خالد مع فتحات عداد واسعة وخطوط علبة نقية

1 Stunning view on the movement thanks to dial aperture
Ouverture de cadran offrant une vue magnifique sur le mouvement
Die Zifferblattöffnung gibt den Blick frei auf das beeindruckende Uhrwerk
Impresionante visión del movimiento gracias a la apertura de la esfera
ダイアル開口部から鑑賞できるムーブメントの美しい眺め
令人驚豔的沙漏鏤空錶面
Потрясающий вид на механизм благодаря окну на циферблате
مشهد رائع للحركة بفضل فتحة العداد





ST STEEL
3 ATM
22mm
10.8mm
102g

LES BÉMONTS C. R.-F.
LIMITED EDITION
95005 3 AIR Ø 44 MM
LIMITED EDITION OF 200 PIECES WORLDWIDE



ST STEEL
PVD
3 ATM
22mm
11mm
80g



AUTOMATIC SHADE OF TIME
85300 37R GIR Ø 42 MM

ST STEEL
PVD
3 ATM
22mm
11mm
80g



AUTOMATIC SHADE OF TIME
85300 37R AIR Ø 42 MM

ST STEEL
PVD
3 ATM
22mm
11mm
80g



AUTOMATIC SHADE OF TIME
85300 37J AID Ø 42 MM

ST STEEL
3 ATM
22mm
11mm
80g



AUTOMATIC SHADE OF TIME
85300 3 NIN Ø 42 MM

ST STEEL
3 ATM
22mm
11mm
80g



AUTOMATIC SHADE OF TIME
85300 3 BUIN Ø 42 MM

ST STEEL
3 ATM
22mm
11mm
80g



AUTOMATIC SHADE OF TIME
85300 3 AIN Ø 42 MM



DAY DATE | ST STEEL | PVD | 3 ATM | 22mm | 9.4mm | 81g

DAY DATE AUTOMATIC
83015 37R NIR Ø 42 MM



DAY DATE | ST STEEL | PVD | 3 ATM | 22mm | 9.4mm | 81g

DAY DATE AUTOMATIC
83015 37R BUIR Ø 42 MM



DAY DATE | ST STEEL | PVD | 3 ATM | 22mm | 9.4mm | 81g

DAY DATE AUTOMATIC
83015 37R BIR Ø 42 MM



DAY DATE | ST STEEL | 3 ATM | 22mm | 9.4mm | 81g

DAY DATE AUTOMATIC
83015 3 NIN Ø 42 MM



DAY DATE | ST STEEL | 3 ATM | 22mm | 9.4mm | 81g

DAY DATE AUTOMATIC
83015 3 BUIN Ø 42 MM



DAY DATE | ST STEEL | 3 ATM | 22mm | 9.4mm | 81g

DAY DATE AUTOMATIC
83015 3 BIN Ø 42 MM



ST STEEL
PVD
3 ATM
22mm
9mm
81g

OPEN HEART AUTOMATIC
85021 37R NIR Ø 42 MM



ST STEEL
PVD
3 ATM
22mm
9mm
81g

OPEN HEART AUTOMATIC
85021 37R BUIR Ø 42 MM



ST STEEL
PVD
3 ATM
22mm
9mm
81g

OPEN HEART AUTOMATIC
85021 37R AIR Ø 42 MM



ST STEEL
3 ATM
22mm
9mm
81g

OPEN HEART AUTOMATIC
85021 3 NIN Ø 42 MM



ST STEEL
3 ATM
22mm
9mm
81g

OPEN HEART AUTOMATIC
85021 3 BUIN Ø 42 MM



ST STEEL
3 ATM
22mm
9mm
81g

OPEN HEART AUTOMATIC
85021 3 AIN Ø 42 MM

Q QUARTZ
DAY DATE
PVD
ST STEEL
3 ATM
22mm
9.70mm
82g



CHRONOGRAPH COMPLICATION
10501 37R GIR Ø 42 MM

Q QUARTZ
DAY DATE
PVD
ST STEEL
3 ATM
22mm
9.70mm
82g



CHRONOGRAPH COMPLICATION
10501 37R AIR Ø 42 MM

Q QUARTZ
DAY DATE
PVD
ST STEEL
3 ATM
22mm
9.70mm
82g



CHRONOGRAPH COMPLICATION
10501 37J AID Ø 42 MM

Q QUARTZ
DAY DATE
ST STEEL
3 ATM
22mm
9.70mm
82g



CHRONOGRAPH COMPLICATION
10501 3 BUIN Ø 42 MM

Q QUARTZ
DAY DATE
ST STEEL
3 ATM
22mm
9.70mm
82g



CHRONOGRAPH COMPLICATION
10501 3 AIN Ø 42 MM





Q QUARTZ
31 1
S
ST STEEL
PVD
3 ATM
22mm
10mm
78g

PERPETUAL CALENDAR
01602 37J BRID Ø 42 MM



Q QUARTZ
31 1
S
ST STEEL
PVD
3 ATM
22mm
10mm
78g

PERPETUAL CALENDAR
01602 37R GIR Ø 42 MM



Q QUARTZ
31 1
S
ST STEEL
PVD
3 ATM
22mm
10mm
78g

PERPETUAL CALENDAR
01602 37R AIR Ø 42 MM



Q QUARTZ
31 1
S
ST STEEL
PVD
3 ATM
22mm
10mm
78g

PERPETUAL CALENDAR
01602 37J AID Ø 42 MM



Q QUARTZ
31 1
S
ST STEEL
3 ATM
22mm
10mm
78g

PERPETUAL CALENDAR
01602 3 NIN Ø 42 MM



Q QUARTZ
31 1
S
ST STEEL
3 ATM
22mm
10mm
78g

PERPETUAL CALENDAR
01602 3 AIN Ø 42 MM



Q QUARTZ
ST STEEL
PVD
3 ATM
22mm
11mm
88g

CHRONOGRAPH MOON PHASE
01651 37R BUIR Ø 42 MM



Q QUARTZ
ST STEEL
PVD
3 ATM
22mm
11mm
88g

CHRONOGRAPH MOON PHASE
01651 37R AR Ø 42 MM



Q QUARTZ
ST STEEL
PVD
3 ATM
22mm
11mm
88g

CHRONOGRAPH MOON PHASE
01651 37R AIR Ø 42 MM



Q QUARTZ
ST STEEL
PVD
3 ATM
22mm
11mm
88g

CHRONOGRAPH MOON PHASE
01651 37J AR Ø 42 MM



Q QUARTZ
ST STEEL
PVD
3 ATM
22mm
11mm
88g

CHRONOGRAPH MOON PHASE
01651 37J AID Ø 42 MM



Q QUARTZ
ST STEEL
3 ATM
22mm
11mm
88g

CHRONOGRAPH MOON PHASE
01651 3 NIN Ø 42 MM



Q QUARTZ
ST STEEL
3 ATM
22mm
11mm
88g

CHRONOGRAPH MOON PHASE
01651 3 AR Ø 42 MM



Q QUARTZ
ST STEEL
3 ATM
22mm
11mm
88g

CHRONOGRAPH MOON PHASE
01651 3 AIN Ø 42 MM



QUARTZ · DAY DATE · ST STEEL · PVD · 3 ATM · 22mm · 7.9mm · 74g

MOON PHASE COMPLICATION
40002 37R BUIR Ø 42 MM



QUARTZ · DAY DATE · ST STEEL · PVD · 3 ATM · 22mm · 7.9mm · 74g

MOON PHASE COMPLICATION
40002 37R AR Ø 42 MM



QUARTZ · DAY DATE · ST STEEL · PVD · 3 ATM · 22mm · 7.9mm · 74g

MOON PHASE COMPLICATION
40002 37R AIR Ø 42 MM



QUARTZ · DAY DATE · ST STEEL · PVD · 3 ATM · 22mm · 7.9mm · 74g

MOON PHASE COMPLICATION
40002 37J AR Ø 42 MM



QUARTZ · DAY DATE · ST STEEL · PVD · 3 ATM · 22mm · 7.9mm · 74g

MOON PHASE COMPLICATION
40002 37J AID Ø 42 MM



QUARTZ
DAY DATE
ST STEEL
3 ATM
22mm
7.9mm
74g

MOON PHASE COMPLICATION
40002 3 BUIN Ø 42 MM



QUARTZ
DAY DATE
ST STEEL
3 ATM
22mm
7.9mm
74g

MOON PHASE COMPLICATION
40002 3 NIN Ø 42 MM



QUARTZ
DAY DATE
ST STEEL
3 ATM
22mm
7.9mm
74g

MOON PHASE COMPLICATION
40002 3 AR Ø 42 MM



QUARTZ
DAY DATE
ST STEEL
3 ATM
22mm
7.9mm
74g

MOON PHASE COMPLICATION
40002 3 AIN Ø 42 MM



Q QUARTZ
2 | 8 BIG DATE
ST STEEL
PVD
3 ATM
22mm
6.9mm
68g

BIG DATE SMALL SECOND
64012 37R NIR Ø 40 MM



Q QUARTZ
2 | 8 BIG DATE
ST STEEL
PVD
3 ATM
22mm
6.9mm
68g

BIG DATE SMALL SECOND
64012 37R AIR Ø 40 MM



Q QUARTZ
2 | 8 BIG DATE
ST STEEL
3 ATM
22mm
6.9mm
68g

BIG DATE SMALL SECOND
64012 3 NIN Ø 40 MM



Q QUARTZ
2 | 8 BIG DATE
ST STEEL
3 ATM
22mm
6.9mm
68g

BIG DATE SMALL SECOND
64012 3 AIN Ø 40 MM



Very classical and elegant, the caseback of Les Bémonts stands for respecting the collection design.



Q QUARTZ
S
ST STEEL
PVD
3 ATM
22mm
6.3mm
63g

SLIM LINE DATE
56001 37R GIR Ø 40 MM



Q QUARTZ
S
ST STEEL
PVD
3 ATM
22mm
6.3mm
63g

SLIM LINE DATE
56001 37R AIR Ø 40 MM



Q QUARTZ
S
ST STEEL
PVD
3 ATM
22mm
6.3mm
63g

SLIM LINE DATE
56001 37R NAIR Ø 40 MM



Q QUARTZ
S
ST STEEL
PVD
3 ATM
15mm
6mm
33g

SLIM LINE DATE
57001 37R GIR Ø 28 MM



Q QUARTZ
S
ST STEEL
PVD
3 ATM
15mm
6mm
33g

SLIM LINE DATE
57001 37R AIR Ø 28 MM



Q QUARTZ
S
ST STEEL
PVD
3 ATM
15mm
6mm
33g

SLIM LINE DATE
57001 37R NAIR Ø 28 MM



Q QUARTZ
ST STEEL
PVD
3 ATM
22mm
6.3mm
63g

SLIM LINE DATE
56001 37J DI Ø 40 MM



Q QUARTZ
ST STEEL
PVD
3 ATM
22mm
6.3mm
63g

SLIM LINE DATE
56001 37J AID Ø 40 MM



Q QUARTZ
ST STEEL
PVD
3 ATM
15mm
6mm
33g

SLIM LINE DATE
57001 37J DI Ø 28 MM



Q QUARTZ
ST STEEL
PVD
3 ATM
15mm
6mm
33g

SLIM LINE DATE
57001 37J AID Ø 28 MM



New Edox factory in Les Genevez, Switzerland – Winter 2017



Q QUARTZ
ST STEEL
3 ATM
22mm
6.3mm
63g

SLIM LINE DATE
56001 3 GIN Ø 40 MM



Q QUARTZ
ST STEEL
3 ATM
22mm
6.3mm
63g

SLIM LINE DATE
56001 3 AIN Ø 40 MM



Q QUARTZ
ST STEEL
3 ATM
22mm
6.3mm
63g

SLIM LINE DATE
56001 3 NAIN Ø 40 MM



Q QUARTZ
ST STEEL
3 ATM
15mm
6mm
33g

SLIM LINE DATE
57001 3 GIN Ø 28 MM



Q QUARTZ
ST STEEL
3 ATM
15mm
6mm
33g

SLIM LINE DATE
57001 3 AIN Ø 28 MM



Q QUARTZ
ST STEEL
3 ATM
15mm
6mm
33g

SLIM LINE DATE
57001 3 NAIN Ø 28 MM



The perfect classical and elegant design of Les Vauberts' collection makes the timepieces a special crush for all gentlemen and fashion aficionados. The Les Vauberts are timeless and fit perfectly with the city life of modern men.

LES VAUBERTS
GENTLEMAN'S CHOICE





85014 37R AIR

Pays tribute to EDOX watchmakers predecessors
Rend hommage aux horlogers EDOX qui nous ont précédés
Eine Hommage an die Vorgänger der Uhrmacher von EDOX
Rinde homenaje a los anteriores relojeros EDOX
エドックスの時計職人の先人達に敬意を表しています。
向 EDOX 的製錶前輩們致敬
Воздает должное часовщикам-предшественникам Edox
تكريم لساعتيي EDOX السابقين

1 Stunning view on the movement thanks to dial aperture
Ouverture de cadran offrant une vue magnifique sur le mouvement
Die Zifferblattöffnung gibt den Blick frei auf das beeindruckende Uhrwerk
Impresionante visión del movimiento gracias a la apertura de la esfera
ダイアル開口部から鑑賞できるムーブメントの美しい眺め
令人驚豔的扇型鏤空錶面
Потрясающий вид на механизм благодаря окну на циферблате
مشهد رائع للحركة بفضل فتحة العداد

Caseback showing a typical farm where our elders manufactured clocks during the harsh winter months
Gravage sur le fond d'une ferme typique du Jura Suisse
Auf dem Gehäuseboden ist ein typischer Bauernhof, in der unsere Vorgänger früher während der kalten Wintermonate Uhren herstellten
Granja típica en la tapa, con el taller en el que nuestros antepasados fabricaban relojes durante los duros meses de invierno
先人達が厳しい冬の間、時計作りをする部屋のある典型的な農家が刻印が施されたケースバック
後底蓋鎸刻一個典型的農舍, 前輩們在嚴冬季節製造鐘錶的鐘錶工作室
Задняя крышка показывает типичную ферму с комнатой для создания часов, где наши предки производили часы во время суровых зимних месяцев
غطاء خلفي نقشت عليه صورة مزرعة تمثل المكان حيث كان ساعاتيونا السابقون يصنعون الساعات خلال شهور الشتاء القاسية



ST STEEL · PVD · 5 ATM · 22mm · 11.4mm · 83g

LA GRANDE LUNE AUTOMATIC **NEW**
80500 37R AIR Ø 42 MM



ST STEEL · PVD · 5 ATM · 22mm · 11.4mm · 83g

LA GRANDE LUNE AUTOMATIC **NEW**
80500 37R BUIR Ø 42 MM



ST STEEL · PVD · 5 ATM · 22mm · 11.4mm · 83g

LA GRANDE LUNE AUTOMATIC **NEW**
80500 37R BEIR Ø 42 MM



ST STEEL · 5 ATM · 22mm · 11.4mm · 83g

LA GRANDE LUNE AUTOMATIC **NEW**
80500 3 AIBU Ø 42 MM



ST STEEL · 5 ATM · 22mm · 11.4mm · 83g

LA GRANDE LUNE AUTOMATIC **NEW**
80500 3 BUIR Ø 42 MM



ST STEEL · 5 ATM · 22mm · 11.4mm · 83g

LA GRANDE LUNE AUTOMATIC **NEW**
80500 3 NIN Ø 42 MM



ST STEEL
5 ATM
22mm
9.4mm
135g

OPEN HEART AUTOMATIC **NEW**
85014 3M AIN Ø 43 MM



ST STEEL
5 ATM
22mm
9.4mm
135g

OPEN HEART AUTOMATIC **NEW**
85014 3M BUIN Ø 43 MM



ST STEEL
5 ATM
22mm
9.4mm
135g

OPEN HEART AUTOMATIC **NEW**
85014 3M NIN Ø 43 MM



ST STEEL
5 ATM
22mm
9.4mm
74g

OPEN HEART AUTOMATIC **NEW**
85014 3 BUIN Ø 43 MM



ST STEEL
PVD
5 ATM
22mm
9.4mm
74g

OPEN HEART AUTOMATIC
85014 37R GIR Ø 43 MM



ST STEEL
PVD
5 ATM
22mm
9.4mm
74g

OPEN HEART AUTOMATIC
85014 37R AIR Ø 43 MM



Rich of more than 4 centuries in watchmaking, the caseback engraving pays tribute to our predecessors who became skilled watchmakers during the harsh winter months of farming.



ST STEEL
5 ATM
22mm
9.4mm
74g

OPEN HEART AUTOMATIC
85014 3 NIN Ø 43 MM



ST STEEL
5 ATM
22mm
9.4mm
74g

OPEN HEART AUTOMATIC
85014 3 AIN Ø 43 MM

ST STEEL
PVD
5 ATM
19mm
9.5mm
55g



OPEN HEART
85019 37RG GIR Ø 37 MM

ST STEEL
PVD
5 ATM
19mm
9.5mm
55g



OPEN HEART
85019 37RA AIR Ø 37 MM

ST STEEL
5 ATM
19mm
9.5mm
55g



OPEN HEART
85019 3N NIN Ø 37 MM

ST STEEL
5 ATM
19mm
9.5mm
55g



OPEN HEART
85019 3A AIN Ø 37 MM

ST STEEL
PVD
DIAM
5 ATM
19mm
9.5mm
55g



OPEN HEART
85019 37RA NADR Ø 37 MM

ST STEEL
DIAM
5 ATM
19mm
9.5mm
55g



OPEN HEART
85019 3A NADN Ø 37 MM



ST STEEL
PVD
5 ATM
21mm
10.9mm
75g

AUTOMATIC DATE **NEW**
80106 37RC BEIR Ø 41 MM



ST STEEL
PVD
5 ATM
21mm
10.9mm
75g

AUTOMATIC DATE **NEW**
80106 37RC BUIR Ø 41 MM



ST STEEL
PVD
5 ATM
21mm
10.9mm
75g

AUTOMATIC DATE **NEW**
80106 37RC GIR Ø 41 MM



ST STEEL
PVD
5 ATM
21mm
10.9mm
75g

AUTOMATIC DATE **NEW**
80106 37RC BER Ø 41 MM



ST STEEL
5 ATM
21mm
10.9mm
127g

AUTOMATIC DATE **NEW**
80106 3M BUIN Ø 41 MM



ST STEEL
5 ATM
21mm
10.9mm
127g

AUTOMATIC DATE **NEW**
80106 3M NIN Ø 41 MM



ST STEEL
5 ATM
21mm
10.9mm
75g

AUTOMATIC DATE **NEW**
80106 3C AIN Ø 41 MM



ST STEEL
5 ATM
21mm
10.9mm
75g

AUTOMATIC DATE **NEW**
80106 3C BUIN Ø 41 MM



ST STEEL
5 ATM
21mm
10.9mm
75g

AUTOMATIC DATE **NEW**
80106 3C NIN Ø 41 MM



ST STEEL
5 ATM
21mm
10.9mm
75g

AUTOMATIC DATE **NEW**
80106 3C AR Ø 41 MM



Q QUARTZ
ST STEEL
5 ATM
22mm
10.6mm
134g

CHRONOGRAPH DATE **NEW**
10236 3M BUIN Ø 42 MM



Q QUARTZ
ST STEEL
5 ATM
22mm
10.6mm
134g

CHRONOGRAPH DATE **NEW**
10236 3M NIN Ø 42 MM



Q QUARTZ
ST STEEL
5 ATM
22mm
10.6mm
82g

CHRONOGRAPH DATE **NEW**
10236 3C BUIN Ø 42 MM



Q QUARTZ
ST STEEL
5 ATM
22mm
10.6mm
82g

CHRONOGRAPH DATE **NEW**
10236 3C NIN Ø 42 MM



Q QUARTZ
ST STEEL
5 ATM
22mm
10.6mm
82g

CHRONOGRAPH DATE **NEW**
10236 3C AIN Ø 42 MM



Q QUARTZ
ST STEEL
PVD
5 ATM
22mm
10.6mm
82g

CHRONOGRAPH DATE **NEW**
10236 37RC BEIR Ø 42 MM



Q QUARTZ
ST STEEL
PVD
5 ATM
22mm
10.6mm
82g

CHRONOGRAPH DATE **NEW**
10236 37RC BUIR Ø 42 MM



Q QUARTZ
ST STEEL
PVD
5 ATM
22mm
10.6mm
82g

CHRONOGRAPH DATE **NEW**
10236 37RC GIR Ø 42 MM



Q QUARTZ
ST STEEL
PVD
5 ATM
22mm
10.4mm
80g

ANNUAL CALENDAR **NEW**
40101 37RC BEIR Ø 42 MM



Q QUARTZ
ST STEEL
PVD
5 ATM
22mm
10.4mm
80g

ANNUAL CALENDAR **NEW**
40101 37RC BUIR Ø 42 MM



Q QUARTZ
ST STEEL
PVD
5 ATM
22mm
10.4mm
80g

ANNUAL CALENDAR **NEW**
40101 37RC GIR Ø 42 MM



Q QUARTZ
ST STEEL
PVD
5 ATM
22mm
10.4mm
80g

ANNUAL CALENDAR **NEW**
40101 37RC BEBR Ø 42 MM



Q QUARTZ
DAY DATE
ST STEEL
5 ATM
22mm
10.4mm
130g

ANNUAL CALENDAR **NEW**
40101 3M BUIN Ø 42 MM



Q QUARTZ
DAY DATE
ST STEEL
5 ATM
22mm
10.4mm
130g

ANNUAL CALENDAR **NEW**
40101 3M NIN Ø 42 MM



Q QUARTZ
DAY DATE
ST STEEL
5 ATM
22mm
10.4mm
80g

ANNUAL CALENDAR **NEW**
40101 3C AIN Ø 42 MM



Q QUARTZ
DAY DATE
ST STEEL
5 ATM
22mm
10.4mm
80g

ANNUAL CALENDAR **NEW**
40101 3C BEBN Ø 42 MM



Q QUARTZ
DAY DATE
ST STEEL
5 ATM
22mm
10.4mm
80g

ANNUAL CALENDAR **NEW**
40101 3C BUIN Ø 42 MM



Q QUARTZ
DAY DATE
ST STEEL
5 ATM
22mm
10.4mm
80g

ANNUAL CALENDAR **NEW**
40101 3C NIN Ø 42 MM



Q QUARTZ
2 | 8 BIG DATE
ST STEEL
PVD
5 ATM
22mm
11.2mm
94g

DAY RETROGRADE **NEW**
34500 37R AIR Ø 42 MM



Q QUARTZ
2 | 8 BIG DATE
ST STEEL
PVD
5 ATM
22mm
11.2mm
94g

DAY RETROGRADE **NEW**
34500 37R BUIR Ø 42 MM



Q QUARTZ
2 | 8 BIG DATE
ST STEEL
PVD
5 ATM
22mm
11.2mm
94g

DAY RETROGRADE **NEW**
34500 37R GIR Ø 42 MM



Q QUARTZ
2 | 8 BIG DATE
ST STEEL
5 ATM
22mm
11.2mm
94g

DAY RETROGRADE **NEW**
34500 3 AIN Ø 42 MM



Q QUARTZ
2 | 8 BIG DATE
ST STEEL
PVD
5 ATM
22mm
11.2mm
94g

DAY RETROGRADE **NEW**
34500 3 BUIR Ø 42 MM



Q QUARTZ
2 | 8 BIG DATE
ST STEEL
5 ATM
22mm
11.2mm
94g

DAY RETROGRADE **NEW**
34500 3 NIN Ø 42 MM



Edox is the Official Watch Partner of the Team Australia Powerboat Racing which is racing the XCat World Championship.

MARKETING & MORE



FRIENDS AND PARTNERSHIPS



© Raffaello Bastiani



TEAM AUSTRALIA POWERBOAT RACING – PAL VIRIK NILSEN

A two year old Australian/Norwegian Offshore team based in Sydney and Dubai. The team is racing the XCAT 32 feet catamarans with 800 hp in speeds over 200 km/h. Silver medal winners in the U.I.M XCAT World Championship 2017. Norwegian pilots Pal Virik Nilsen and Jan Trygve Braaten are one of the most expirienced Offshore pilots in the world, with many world and national titles among them in different classes.


CHRISTIAN REDL – THE ICEMAN AND SHARKMAN

Born in 1976, the Austrian Christian Redl fell in love with water as a young boy.

But 1996 was a major turning point for him when he saw the cult film The Big Blue and took up free-diving. At a championship meeting the same year, he met the famous free-diver, Umberto Pelizzari. A vocation was born.

This true merman, who tests the limits of the endurable, is considered to be one of the foremost free-diving specialists of his generation.

Christian Redl also holds several world free-diving records: the most impressive probably being the longest ever swim under ice (100 meters), though the crossing of several underwater caves in Mexico cannot be ignored. Christian Redl holds the record of the first wolrd free dive under the ice at the North Pole in 2015.





MARTIN PROKOP

Martin Prokop was born in Jihlava (Czech Republic) in 1982. Since childhood he was dreaming to become a rally driver. In 2001 this dream came true and Martin made his first debut on Rally Vysocina with Skoda Felicia.

In Monte Carlo 2005 Martin started in the Junior World Championship with Citroën C1S1600. One year later he celebrated the victory on Catalunya Rally. The most succesfull season was 2009 when Martin won the Junior World Champion title.

In Argentina 2012 Martin made a new record for Czech crew and reached the 4th place with his co-driver Zdeněk Hrůza. One year later he repeated it in Germany and in 2014 in Argentina.

CURLING TEAM ULSRUD

Team Ulsrud is Norway's national curling team. Haavard Vad Petersson, Christoffer Svae, Torger Nergaard and Thomas Ulsrud started playing together in 2007. Among their many international achivements, their proudest moment as a team was winning the silver medal at the 2010 Olympic Winter Games in Vancouver.

VISUAL ADVERTISING WINNERS



CO-1 10221 37R NIR Format A4

ADVERTISING CORPORATE GUIDELINES

For Edox, visual identity is highly important. Our "Timing For Champions" campaign has been developed to give more importance to the product.

The Edox Corporate Guidelines are set in order to ensure you that the artwork that you are preparing perfectly matches with the advertising layout instructions.

It also ensures perfect watch visibility with appropriate watch and logo sizes and all layout components.

ADVERTISING

Thank you for helping us in keeping the Edox brand image identical worldwide.

We remind you that all individually-designed layouts have to be submitted to Edox for final approval before printing of production.

All layouts are suitable for advertising, but also for banners, posters, window stickers, lightboxes, etc.



All layouts are available on the Edoxnet database (www.edox.ch/edoxnet)

For specific project, please contact Edox for full support.



GRAND OCEAN 88002 3ORCA ABUN



GRAND OCEAN 01123 3BUCA NBUN



CO-1 01122 3 NIN



CHRONORALLY 10302 37N NIN




CHRONORALLY 38001 TIN NIN



CHRONORALLY 38001 TINBU1 BUIB1



CHRONORALLY-S 08005



DELFIN 10109 357NCA NIN



DELFIN 10109 357RNCA NIRG



LES BÉMONTS 85021 3 BUIN



LES BÉMONTS 85021 37R AIR



LES BÉMONTS 85300 3 NIN



LES BÉMONTS 01651 3 AIN



LES VAUBERTS 85014 37R GIR



LES VAUBERTS 80500 3 AIBU

MARKETING & MORE

TO KNOW ABOUT EDOX



EDOX POSITIONNING

Sportive and classic, hand-assembled and Swiss-made. Public price between Euros 400 and Euros 3000. Edox is a family and independent company, located in the heart of the Swiss Jura.

MORE THAN 130 YEARS OF HISTORY

Fouding in **1884**. Christian Ruefli-Flury, a talented master watch-maker and founder of Edox, assembled a **pocket watch** for his wife. She convinved him to create his own workshop in Biel-Bienne (Switzerland) in 1884. Edox means **"measuring of time"** in ancient Greek. Edox is also well know for **inventing a revolutionnary water resistance system, thanks to crown double gaskets**. Edox is considered as **the** "Water Champion" of the Swiss watch industry.





EDOX TIMEPIECES, SET FOR HISTORY

1961
worldwide launch of the first watch equipped with a crown double gasket for a perfect water resistance.
The Edox Delfin

1972
worldwide launch of the first watch featuring an additional time zone display.
The Edox Geoscope

1989
worldwide lauch of the Edox Les Bémonts Ultra Slim, the first watch equipped **with the slimmest quartz movement with calendar in the world. Record still unbeaten**.

2010 – 2017
Edox is the official timekeeper and the official watch partner of the WRC (World Rally Championship), Dakar Rally, Sauber F1 Team.



EDOX AND QUALITY STATEMENT

- All timepieces are equipped with a sapphire crystal
- 200m and deeper water-resistant timepieces are equipped with a crown double gasket (Edox invention in 1961)
- All casebacks are screwed-in
- All timepieces are hand-assembled in Edox workshops

EDOX
Maître Horloger - Les Genevez
depuis 1884

Recommend Edox as a fine independent family owned watchmaker and therefore an alternative to mass production brands.

Consumers appreciate to get to know special, innovative brands, which are not on everybody's wrist.

Consumer's quest:


DELFIN


LES BÉMONTS



LES VAUBERTS


CHRONORALLY


CO-1


GRAND OCEAN

Consumer's quest:	We can propose you					
	DELFIN	**LES BÉMONTS**	**LES VAUBERTS**	**CHRONORALLY-S**	**CO-1**	**GRAND OCEAN**
...A gent watch, water resistant and robuste, between Euros 500 and Euros 1000	•			•		
...A super water resistant timepiece, a diving model with great design, between Euros 1000 and Euros 3000					•	•
...A classic and elegant model, between Euros 400 and Euros 1500	•	•	•			
...A chronograph timepiece, sporty and water resistant, between Euros 400 and Euros 1500	•			•	•	•
...Something different, unusual, with great design.	•	•	•	•	•	•




EDOX
SWISS MADE
HORLOGER & FONDATEUR DE EDOX - 1884
SWISS MADE - 3 ATM
SERIAL Nº 000000 - CASE Nº 95005



EDOX
EDOX

POS MATERIAL




DISPLAYS






1111 Edox Big Display
☑ 44 C-rings
☑ 1 Base
☑ 2 Sides
☑ 4 Tobogans
☑ 6 Watch Stands
☑ 10 Product Plates






1112 Edox Medium Display
☑ 30 C-rings
☑ 1 Base
☑ 4 Tobogans
☑ 3 Watch Stands
☑ 10 Product Plates





1114 Edox Small Display
☑ 9 C-rings
☑ 1 Base
☑ 2 Tobogans
☑ 3 Watch Stands
☑ 10 Product Plates






1122 EDOX Incase Display

☑ 22 C-rings
☑ 1 Base
☑ 2 Tobogans
☑ 2 Watch Stands 3cm
☑ 2 Watch Stands 4.5cm
☑ 10 Product Plates





1113 EDOX Incase Display Large

☑ 36 C-rings
☑ 1 Base
☑ 2 Tobogans
☑ 3 Watch Stands 3cm
☑ 3 Watch Stands 4.5cm
☑ 10 Product Plates

SHOP IN SHOP

All item finishes may be finalized,
please contact us accordingly.



1124 EDOX Counter, including display material
(W 141 x D 50 x H 120 cm)



1123 EDOX Free Standing Show Cabinet, including display material
(W 50 x D 50 x H 160 cm)



1125 EDOX Wall
(W 180 x D 50 x H 240 cm)

DISPLAY ACCESSORIES



1115 EDOX Watch Stand
Set of 3 pieces
4, 6 and 8 cm height



1090 LCD Display
(W 12.5 x D 2.5 x H 9.5 cm)
Plug and Play function




1117 Edox Tobogan
29 x 4 cm



1120 Edox 10 C-Clips Set for the new Edox Display Programme (Display red. 1111, 1112, 1114, 1122)



1116 Edox Presentation Tray
35 x 32 cm



1118 Edox Retailer Plate
W 10 x D 2.2 x H 10 cm



1119 Edox Product Plate
(set of 6 plates, various languages available)

PACKAGING – CATALOGUES – CERTIFICATES



1088 After Sale Service and Duty Free Programme Watch Box





New Packaging for all collections
with instruction manual and warranty card



1131 Edox shopping bag




1110 Selvyt



4059 Edox Black Gloves



0035 Edoxionary for watch connoisseurs



0036 Edoxionary for watch professionals

WALL CLOCK – GIVE-AWAYS



1137 Edox Umbrella



1045 Edox wall clock
Grand Ocean Wall Clock –
Diameter 45cm



1132 EDOX Pen



1133 Lanyard



1055 Edox USB Key


EDOX
CHRONOFFSHORE 1



TECHNICAL INFORMATION



EDOX QUALITY

Batteries

In compliance with global regulations and standards, Edox equips its quartz timepieces with mercury-free batteries. This is a positive step towards environmental sustainability with no effect on the watch precision and efficiency.

Conformity

Every component coming into our production facility in Les Genevez in the Swiss Jura is checked to ensure its dimensions, aesthetics, quality and interchangeability.

Edox double O'ring Crown or Pusher

Since the 70's, Edox has set specific quality and technical standards for ensuring the water resistance of diving timepieces. The double O'ring crown or pusher has been engineered by Edox to allow to increase the resistance to water pressure. Timepieces equipped with crowns or pushers featuring a double O'ring are featuring the special pictogram for easy understanding.

Helium Escape Valve

Some of our CO-1 timepieces are equipped with a decompression system which allows helium to escape from inside the watch when worn for professional use in pressure chambers (long-term underwater work, crude oil exploration, etc).

The Edox helium valve opens and closes automatically. It is imperative that the models equipped with a non-automatic helium escape valve (such as older Edox timepieces) have the helium valve screwed back in order to guarantee their water resistance.

Leather

All Edox leather straps are specially cut, stitched and padded by expert craftspeople. Various ways of tanning provide different touch and feel for the straps made of cow or calf leather. It is always important to remember that colors and suppleness of leather are subject to change with time and exposure to external factors. Daily showers or swims are not recommended. If your consumers live a very active lifestyle, especially one involving frequent exposure to salt water and heavy perspiration, we recommend a steel bracelet or rubber strap.

Luminescence

This technology, branded under the name Super-Luminova, offers brightness in low-light conditions, thanks to a non-radioactive and non-toxic material like the tritium previously employed in the industry. Edox uses Super-Luminova for its highly functional attributes. It is applied on watch parts such as hands, numerals, bezel indices, etc.

Mother-of-pearl

Resilient, and iridescent, mother-of-pearl is integrated in many Edox dial designs. It is produced inside the shells of certain mollusk shells. This is why each dial made of mother-of-pearl is unique.

Movements

Mechanical movement:

A mechanical movement undergoes several stresses in its life. To ensure it will remain functional and precise as long as possible, Edox simulates watch wearing in its own quality office for every single manual and self-winding mechanism.

PVD

Edox uses PVD coatings which is a high-performance pollution-free and non-allergenic technology also used in the aeronautic industry, is widely used in watchmaking. The process involves putting a fine titanium coating on stainless steel by condensing a metal vapor in a partial vacuum.

Rubber

Edox uses genuine high-grade rubber for its straps (a natural material and extremely comfortable). The rubber is silky finished and easy to maintain with the proper cleaning.

Sapphire crystals

100% of Edox timepieces are fitted with a scratch-resistant crystal that has been cut from a polished slice of solid sapphire. Each has a triple-coated anti-reflective treatment on the internal side for better legibility.

Stainless Steel

The 316L stainless steel alloy used in Edox cases and bracelets has strong anti-magnetic properties and is optimized for toughness and corrosion resistance. It is also a good choice for consumers allergic to nickels.


Titanium

Edox integrates this metal to some of its sports timepieces, as it is as strong as steel but 45% lighter and highly resistant to corrosion. The high tensile strength to density ratio makes it the ideal material for active lifestyles.

Visual and manual testing

In addition to our testing process, all timepieces are visually checked between each manufacturing step ensuring overall quality based on our own Edox standards. If a timepiece does not pass inspection, it is checked and repaired. It can only go back to the production phase if it has passed the quality check.





Free Dive World Champion Christian Redl recommends the following Water Resistance:

Water-resistance

Edox watch cases are hermetically sealed using high-grade rubber gaskets and screwed-in casebacks to ensure that no moisture or dust comes in contact with the movement inside.

WATER RESISTANCE CLASSIFICATION

	Meters	Feet	ATM	All Edox timepieces are water-resistant from 30 to 1000 metres. Check the details on the back of your Edox timepiece and read the following instructions carefully.	Collection
	30	100	3	Will withstand rain or splashes of water and accidental immersion, but should not be worn while showering, swimming or diving.	Les Bémonts
	50	165	5	Suitable for showering or swimming in shallow water.	Les Vauberts
	100	330	10	Suitable for swimming or snorkelling.	Chronorally, Chronorally-S, Grand Ocean
	200	650	20	Suitable for swimming or snorkelling.	Delfin
	300	990	30	Suitable for scuba diving.	CO-1, Grand Ocean
	500	1650	50	Appropriate for serious deep water diving.	CO-1, N-Pole 42.195 Limited Edition
	1000	3000	100	Appropriate for extreme deep water or bell diving.	Sharkman II Limited Edition

CLASP & BUCKLE


GRAND OCEAN



85301 357RN	AUTOMATIC PHANTOM OF TIME	page 12



01123 357RCA	CHRONOGRAPH AUTOMATIC	page 11
01123 3BUCA	CHRONOGRAPH AUTOMATIC	page 11
01123 3ORCA	CHRONOGRAPH AUTOMATIC	page 11
10226 357JBUCA	CHRONOGRAPH	page 16
10226 357RCA	CHRONOGRAPH	page 16
10226 3BUCA	CHRONOGRAPH	page 16
10226 3CA	CHRONOGRAPH	page 16
56002 357RC	ULTRA SLIM	page 17
56002 37JC	ULTRA SLIM	page 17
56002 3C	ULTRA SLIM	page 17
85301 3	AUTOMATIC PHANTOM OF TIME	page 12
88002 357RCA	AUTOMATIC DAY DATE	page 13
88002 3ORCA	AUTOMATIC DAY DATE	page 13
88002 3CA	AUTOMATIC DAY DATE	page 13



85301 37J	AUTOMATIC PHANTOM OF TIME	page 12

CO-1



01122 37R	CHRONOGRAPH AUTOMATIC	page 23
01125 CLNBUN	CARBON CHRONOGRAPH AUTOMATIC	page 21
01125 CLNGN	CARBON CHRONOGRAPH AUTOMATIC	page 21
01125 CLNRN	CARBON CHRONOGRAPH AUTOMATIC	page 21
10221 357RN	CHRONOGRAPH	page 30
10221 3NP18	N-POLE 42.195 LIMITED EDITION	page 25
10221 37N	CHRONOGRAPH	page 30
10221 37R	CHRONOGRAPH	page 30
10225 37R	CHRONOLADY	page 31
10234 357GN	SHARKMAN II LIMITED EDITION	page 27
10234 357RN	SHARKMAN II LIMITED EDITION	page 27
80099 37R	OFFSHORE-1 PROFESSIONAL	page 24



01122 3	CHRONOGRAPH AUTOMATIC	page 22
10221 3BU7	CHRONOGRAPH	page 30
10221 3N	CHRONOGRAPH	page 28
10221 357R	CHRONOGRAPH	page 28
10221 3	CHRONOGRAPH	page 28
10225 3B	CHRONOLADY	page 31
10225 3N	CHRONOLADY	page 31
10234 3O	SHARKMAN II LIMITED EDITION	page 27
10234 3R	SHARKMAN II LIMITED EDITION	page 27
80099 3	OFFSHORE-1 PROFESSIONAL	page 24




10225 37RB	CHRONOLADY	page 31



01122 3M	CHRONOGRAPH AUTOMATIC	page 22
10221 357RM	CHRONOGRAPH	page 28
10221 3M	CHRONOGRAPH	page 28
10221 3NM	CHRONOGRAPH	page 28
80099 3M	OFFSHORE-1 PROFESSIONAL	page 24

CHRONORALLY



10302 3M	CHRONORALLY	page 36
10302 3MV	CHRONORALLY	page 36



10302 3	CHRONORALLY	pages 37-39
10302 3V	CHRONORALLY	page 39
10302 3V2	CHRONORALLY	page 38



10302 37N	CHRONORALLY	pages 37, 39
10302 37NJ	CHRONORALLY	page 38
38001 TIN	CHRONORALLY	page 35
38001 TINBU1	CHRONORALLY	page 35

CHRONORALLY-S



08005 3BUM	CHRONOGRAPH AUTOMATIC	page 45
08005 3NOM	CHRONOGRAPH AUTOMATIC	page 45
09503 3BUM	CHRONOGRAPH	page 43
09503 3NOM	CHRONOGRAPH	page 43
84301 3BUM	DAY DATE	page 44
84301 3NOM	DAY DATE	page 44



08005 3BUCBU	CHRONOGRAPH AUTOMATIC	page 45
09503 3BUCBU	CHRONOGRAPH	page 43
84301 3BUCBU	DAY DATE	page 44



08005 37NNV	CHRONOGRAPH AUTOMATIC	page 45
08005 37NRCN	CHRONOGRAPH AUTOMATIC	page 45
09503 37NNONAN	CHRONOGRAPH	page 43
09503 37NNVCV	CHRONOGRAPH	page 43
09503 37NRCN	CHRONOGRAPH	page 43
84301 37NNNAG	DAY DATE	page 44
84301 37NRCN	DAY DATE	page 44


DELFIN THE ORIGINAL



10109 3M	CHRONOGRAPH	pages 51-52
10110 3M	CHRONOGRAPH	page 54
88005 3M	DAY DATE AUTOMATIC	page 49



10109 357RBUM	CHRONOGRAPH	page 51



10109 357JVM	CHRONOGRAPH	page 52
10110 357JM	CHRONOGRAPH	page 53


DELFIN THE ORIGINAL continuation



10109 357GNCA	CHRONOGRAPH	page 52
10110 357RNCA	CHRONOGRAPH	page 53
88005 357BUNCA	DAY DATE AUTOMATIC	page 49




10109 3CA	CHRONOGRAPH	page 51
10109 357NCA	CHRONOGRAPH	page 52
10110 3CA	CHRONOGRAPH	page 54
10110 357JCA	CHRONOGRAPH	page 53
10110 357RCA	CHRONOGRAPH	page 53
88005 3CA	DAY DATE AUTOMATIC	pages 49-50
88005 357RCA	DAY DATE AUTOMATIC	page 50



10109 357RNCA	CHRONOGRAPH	page 51
88005 357RNCA	DAY DATE AUTOMATIC	page 50


LES BÉMONTS



01602 37J	PERPETUAL CALENDAR	page 64
01651 37J	CHRONOGRAPH MOON PHASE	page 65
10501 37J	CHRONOGRAPH COMPLICATION	page 63
40002 37J	MOON PHASE COMPLICATION	page 67
56001 37J	SLIM LINE DATE	page 71
57001 37J	SLIM LINE DATE	page 71
85300 37J	AUTOMATIC SHADE OF TIME	page 60



01602 3	PERPETUAL CALENDAR	page 64
01651 3	CHRONOGRAPH MOON PHASE	page 66
10501 3	CHRONOGRAPH COMPLICATION	page 63
40002 3	MOON PHASE COMPLICATION	page 68
56001 3	SLIM LINE DATE	page 73
57001 3	SLIM LINE DATE	page 73
64012 3	BIG DATE SMALL SECOND	page 69
83015 3	DAY DATE	page 61
85021 3	OPEN HEART	page 62
85300 3	AUTOMATIC SHADE OF TIME	page 60
95005 3	LES BÉMONTS C. R.-F. LIMITED EDITION	page 59




01602 37R	PERPETUAL CALENDAR	page 64
01651 37R	CHRONOGRAPH MOON PHASE	page 65
10501 37R	CHRONOGRAPH COMPLICATION	page 63
40002 37R	MOON PHASE COMPLICATION	page 67
56001 37R	SLIM LINE DATE	page 70
57001 37R	SLIM LINE DATE	page 70
64012 37R	BIG DATE SMALL SECOND	page 69
83015 37R	DAY DATE	page 61
85021 37R	OPEN HEART	page 62
85300 37R	AUTOMATIC SHADE OF TIME	page 60

LES VAUBERTS




85014 3	OPEN HEART AUTOMATIC	pages 78-79
85019 3A	OPEN HEART	page 81
85019 3N	OPEN HEART	page 81



85014 37R	OPEN HEART AUTOMATIC	page 79
85019 37RA	OPEN HEART	page 81
85019 37RG	OPEN HEART	page 81



10236 3C	CHRONOGRAPH DATE	page 84
10236 3M	CHRONOGRAPH DATE	page 84
34500 3	DAY RETROGRADE	page 87
40101 3C	ANNUAL CALENDAR	page 86
40101 3M	ANNUAL CALENDAR	page 86
80106 3C	AUTOMATIC DATE	page 83
80106 3M	AUTOMATIC DATE	page 83
80500 3	LA GRANDE LUNE AUTOMATIC	page 77











10236 37RC	CHRONOGRAPH DATE	page 84
34500 37R	DAY RETROGRADE	page 87
40101 37RC	ANNUAL CALENDAR	page 85
80106 37RC	AUTOMATIC DATE	page 82
80500 37R	LA GRANDE LUNE AUTOMATIC	page 77







85014 3M	OPEN HEART AUTOMATIC	page 78





MECHANICAL MOVEMENTS

CALIBER / MANUFACTURER	07 SW 300 DUBOIS-DÉPRAZ 312	08 DUBOIS-DÉPRAZ 2040	011 VALJOUX 7750 / SW500	30 ETA 2892-2 DUBOIS-DÉPRAZ 285
MOVEMENT				
				
FUNCTIONS	Display of hours, minutes, seconds and date. 24 time zone display	Display of hours, minutes, seconds, date and chronograph	Display of hours, minutes, seconds and date, chronograph, day and date	Display of hours, minutes, seconds, chronograph and date
Frequency	28'800 A/h	28'800 A/h	28'800 A/h	28'800 A/h
Power reserve	40-44 h	38h	46 h / 48 h	42 h
Diameter	25.60 mm (11 ½''')	25.60 mm (11 ½''')	30.00 mm (13 ¼''')	30.00 mm (13 ¼''')
Movement height	4.85 mm	7.50 mm	7.90 mm	6.50 mm
Number of jewels	25 jewels	50 jewels	25 jewels	41 jewels
Shock resistance	Incabloc	Novodiac or Etachocs	Incabloc	Incabloc
Max. variation all positions	22 s/d	30s/ds	20 s/d	22 s/d

CALIBER / MANUFACTURER	45 ETA 2892-A2 DUBOIS DÉPRAZ 4500	72 ETA 7001	77 ETA 2892-A2 DUBOIS-DÉPRAZ 14070	80 ETA 2824 / SW 200
MOVEMENT				
				
FUNCTIONS	Display of hours, minutes, seconds, chronograph and big date	Display of hours, minutes, and small second at 6 o'clock	Display of hours, minutes, seconds and date, regulator	Display of hours, minutes, seconds and date
Frequency	28'800 A/h	21'600 A/h	28'800 A/h	28'800 A/h
Power reserve	40-44 h	42 h	42 h	38 h
Diameter	30.00 mm (13 ¼''')	23.30 mm (10 ½''')	30.00 mm (13 ¼''')	25.60 mm (11 ½''')
Movement height	7.30 mm	2.50 mm	5.20 mm	4.60 mm
Number of jewels	49 jewels	17 jewels	25 jewels	25 jewels / 26 jewels
Shock resistance	Incabloc	Incabloc	Incabloc	Novodiac or Etachocs
Max. variation all positions	22 s/d	25 s/d	22 s/d	30 s/d






MECHANICAL MOVEMENTS




CALIBER / MANUFACTURER	80 ETA 2892-A2	802 SW 200	805 SW 280-1	82 ETA 2004-1
MOVEMENT	 	 	 	 
FUNCTIONS	Display of hours, minutes, seconds, date, COSC certified	Display of hours, minutes, seconds and date	Display of hours, minutes, seconds, date and moon phase	Display of hours, minutes, seconds and date
Frequency	28'800 A/h	28'800 A/h	28'800 A/h	28'800 A/h
Power reserve	42 h	42 h	38 h	40 h
Diameter	25.60 mm (11 ½''')	25.60 mm (11 ½''')	25.60 mm (11 ½''')	23.30 mm (10 ½''')
Movement height	3.60 mm	3.60 mm	5.40 mm	3.60 mm
Number of jewels	21 jewels	21 jewels	26 jewels	20 jewels
Shock resistance	Novodiac or Etachocs	Incabloc	Novodiac	Incabloc
Max. variation all positions	15 s/d	30 s/d*	30 s/d	30 s/d

CALIBER / MANUFACTURER	83 ETA 2834 / SW 240	85 ETA 2824 / SW 200	853 SW200 (SEMI-SKELETONISED)	87 ETA 2892-A2 DUBOIS DÉPRAZ DK 87
MOVEMENT	 	 	 	 
FUNCTIONS	Display of hours, minutes, seconds, day and date	Display of hours, minutes and seconds	Display of hours, minutes and seconds	5 minute repeater Indication of time by the tone of 2 striking hammers
Frequency	28'800 A/h	28'800 A/h	28'800 A/h	28'800 A/h
Power reserve	42 h	42 h	42 h	42 h
Diameter	29.00 mm (13''')	25.60 mm (11 ½''')	25.60 mm (11 ½''')	36.00 mm (16''')
Movement height	5.05 mm	4.60 mm	4.60 mm	7.35 mm
Number of jewels	26 jewels	25 jewels	25 jewels	21 jewels
Shock resistance	Incabloc or Etachocs	Novodiac	Novodiac	Incabloc
Max. variation all positions	30 s/d	30 s/d	30 s/d	22 s/d





*For certified chronometer timepieces, the maximum variation per day is of +/- 3 seconds per day.





MECHANICAL MOVEMENTS





CALIBER / MANUFACTURER	88 SW 220-1	90 ETA 2824 SOPROD 9000	91 ETA 2824-2 / SW200 DUBOIS DÉPRAZ 291	92 VENUS 203
MOVEMENT				
				
FUNCTIONS	Display of hours, minutes, seconds, day and date	Display of hours, minutes, seconds. Day, date, month and moon phase	Display of hours, minutes, seconds, date and chronograph	Display of hours, minutes, seconds, day, date, month and moon phase
Frequency	28'800 A/h	28'800 A/h	28'800 A/h	18'000 A/h
Power reserve	38 h	38 h	38 h	+/- 40 h
Diameter	25.6mm (11 ½''')	25.60 mm (11 ½''')	30.00 mm (13 ¼''')	25.60 mm (11 ½''')
Movement height	5.05 mm	6.20 mm	7.50 mm	5.25 mm
Number of jewels	26 jewels	25 jewels	46 jewels	15 jewels
Shock resistance	Incabloc	Incabloc	Incabloc	-
Max. variation all positions	30 s/d	25 s/d	30 s/d	+1min/d

CALIBER / MANUFACTURER	93 ETA 2893	94 ETA 2892-A2 SOPROD 9090	95 ETA 2894 S2L	96 ETA 2895-2
MOVEMENT				
				
FUNCTIONS	Display of hours, minutes, seconds, second time zone (GMT)	Display of hours, minutes, seconds, power reserve and big date	Display of hours, minutes, seconds and chronograph	Display of hours, minutes, small second
Frequency	28'800 A/h	28'800 A/h	28'800 A/h	28'800 A/h
Power reserve	42 h	42 h	42 h	42 h
Diameter	25.60 mm (11 ½''')	25.60 mm (11 ½''')	28.00 mm (12 ½''')	25.60 mm (11 ½''')
Movement height	4.10 mm	5.10 mm	6.10 mm	4.35 mm
Number of jewels	21 jewels	28 jewels	37 jewels	27 jewels
Shock resistance	Incabloc	Incabloc	Incabloc	Incabloc
Max. variation all positions	20 s/d	20 s/d	30 s/d	20 s/d





QUARTZ MOVEMENTS





CALIBER / MANUFACTURER	015 ETA G15.261	016 ETA G15.562	0165 ETA G10.962	095 ISA 8371.B
MOVEMENT				
FUNCTIONS	Display of hours, minutes, seconds and date, chronograph retrograde	Display of days, minutes, small second, perpetual calendar, month, day and date retrograde	Display of hours, minutes, seconds, chronograph, moon phase	Display of hours, minutes, seconds, date, chronograph
Diameter	23.30 mm (10 ½''')	23.30 mm (10 ½''')	31.75 mm (13 ¼''')	30.60 mm (13 ¼''')
Movement height	5.25 mm	5.25 mm	5.12 mm	5.50 mm
Battery	N° 394	N° 394	N° 394	N° 394



CALIBER / MANUFACTURER	10 RONDA 5040.B	101 RONDA 5021.D	102 RONDA 5030.D	103 RONDA 5021.D
MOVEMENT				
FUNCTIONS	Display of hours, minutes, seconds and big date, chronograph, split time	Display of hours, minutes, seconds, date and chronograph	Display of hours, minutes, seconds, date and chronograph	Display of hours, minutes, seconds, date and chronograph
Diameter	28.00 mm (12 ½''')	28.00 mm (12 ½''')	28.00 mm (12 ½''')	28.00 mm (12 ½''')
Movement height	4.40 mm	4.40 mm	4.40 mm	4.40 mm
Battery	N° 395	N° 395	N° 395	N° 395

CALIBER / MANUFACTURER	104 RONDA 5040.D	105 RONDA 5040.F	13N ETA 251.272	34 RONDA 7004
MOVEMENT				
FUNCTIONS	Display of hours, minutes, seconds, date, chronograph	Display of jours, minutes, seconds, day, date, month, chronograph	Display of hours, minutes, seconds, date and chronograph	Display of hours, minutes, small second, date retrograde
Diameter	28.00 mm (12 ½''')	28.00 mm (12 ½''')	30.00 mm (13 ½''')	33.80 mm (15''')
Movement height	4.40 mm	5.40 mm	5.00 mm	5.60 mm
Battery	N° 395	N° 395	N° 394	N° 381

QUARTZ MOVEMENTS

CALIBER / MANUFACTURER	345 RONDA 7004P	38 RONDA 8040.N	40 RONDA 706.1	401 RONDA 706.B
MOVEMENT				
FUNCTIONS	Display of hours, minutes, small second, big date, day retrograde	Display of hours, minutes, day date, chronograph	Display of hours, minutes, seconds, date and moon phase	Display of hours, minutes, seconds, day date and moon phase
Diameter	33.80 mm (15''')	33.80 mm (15''')	23.90 mm (10 ½''')	23.30 mm (10 ½''')
Movement height	5.60 mm	5.60 mm	3.00 mm	3.70 mm
Battery	N° 381	N° 395	N° 371	N° 371


CALIBER / MANUFACTURER	53 RONDA 515	54 RONDA 585	56 RONDA 714	57 RONDA 784
MOVEMENT				
FUNCTIONS	Display of hours, minutes, seconds and date	Display of hours, minutes, seconds and date	Display of hours, minutes and date	Display of hours, minutes and date
Diameter	26.20 mm (11 ½''')	20.00 mm	19.95 mm (9''')	23.30 mm (10 ½''')
Movement height	3.00 mm	3.00 mm	1.40 mm	1.40 mm
Battery	N° 371	N° 362	N° 341	N° 341

CALIBER / MANUFACTURER	64 RONDA 6004B	84 RONDA 517
MOVEMENT		
FUNCTIONS	Display of hours, minutes, small seconds and big date	Display of hours, minutes, seconds, day and date
Diameter	25.60 mm (11 ½''')	25.60 mm (11 ½''')
Movement height	3.30 mm	3.12 mm
Battery	N° 371	N° 371


EDOX
CHRONORALLY
TACHYMETER
MON TUE WED THU FRI SAT RACE
100 M
330 FT
SWISS MADE
SAPPHIRE
CRYSTAL
SWISS MADE BY EDOX

REFERENCE NUMBER SYSTEM

The following information will help you on how to handle the Edox reference number, which will give you helpful product information regarding movements, dials and cases.





CO-1
01122 3 NIN   Ø 45 MM

01122 3 NIN
MOVEMENT
The first 2 or 3 digits of these five figures represent the Edox movement code. Please refer to the page 116-120 of this catalogue.

01122 **3** NIN
CASE MATERIAL
The digits and/or letters represent the material and surface treatment (colour) of the case. (See the table)


01122 3 **NIN**
DIAL VARIATIONS
The digits and letters represent the colour and design of the dial.

MOVEMENT	
011	please refer to the page 116

CASE MATERIAL	
3 / 3A / 3B / 3N	Stainless steel 316
3BNM	Stainless steel 316 / White bezel / Steel bracelet
3BN	Stainless steel 316 / White bezel
3BU	Stainless steel 316L / Blue bezel
3BUCA	Stainless steel 316L / Blue bezel Rubber strap
3BUCBU	Stainless steel 316L / Blue details / Blue leather strap
3BUM	Stainless steel 316L / Blue bezel / Steel bracelet
3BUO	Stainless steel 316L / Blue and orange bezel
3BU7	Stainless steel 316L / Dark blue bezel
3C	Stainless steel 316L / Leather strap
3CA	Stainless steel 316L / Rubber strap
CLN5N	Black Carbon / Pink bezel
CLNBUN	Black Carbon / Blue bezel
CLNGN	Black and Grey Carbon
CLNRN	Black and red Carbon
3M	Stainless steel 316L / Steel bracelet
3MV	Stainless steel 316L / Green pusher / Steel bracelet
3N	Stainless steel 316L / Black bezel
3NBU	Stainless steel 316L / Black and blue bezel
3NCA	Stainless steel 316L / Black bezel / Rubber strap
3NGCA	Stainless steel 316L / Black and grey bezel / Rubber strap
3NGM	Stainless steel 316L / Black and grey bezel / Steel bracelet
3NM	Stainless steel 316L / Black bezel / Steel bracelet
3NOCA	Stainless steel 316L / Black and orange bezel / Rubber strap
3NOM	Stainless steel 316L / Black and orange bezel / Steel bracelet
3O	Stainless steel 316L / Black and orange bezel
3OCA	Stainless steel 316L / Orange bezel / Rubber strap
3OM	Stainless steel 316L / Orange bezel / Steel bracelet
3OR	Stainless steel 316L / Orange bezel
3ORC	Stainless steel 316L / Leather strap
3ORCA	Stainless steel 316L / Orange bezel / Rubber strap
3NP18	Stainless steel 316L / Northpole 2018 Edition
3NRCA	Stainless steel 316L / Black and red bezel / Rubber strap
3NRM	Stainless steel 316L / Black and red bezel / Steel bracelet
3NVCA	Stainless steel 316L / Black and green bezel / Rubber strap
3NVM	Stainless steel 316L / Black and green bezel / Steel bracelet
3PBU	Stainless steel 316L / Blue pusher
3PR	Stainless steel 316L / Red pusher
3R	Stainless steel 316L / Black and red bezel or red pusher
3V / 3V2	Stainless steel 316L / Green pusher

CASE MATERIAL	
37GR	Stainless steel 316L / Grey and pink bezel
37GRM	Stainless steel 316L / Grey and pink bezel / Steel bracelet
37J	Yellow PVD coating
37JC	Yellow PVD coating / Leather strap
37JA	Yellow PVD coating, silver ring
37JG	Yellow PVD coating, golden ring
37N	Black PVD coating
37NJ	Black PVD coating, golden pusher
37NNONANN	Black PVD coating, black details / Black NATO Strap
37NNVCV	Black PVD coating, black details / Green leather strap
37NNNAG	Black PVD coating, black details / Black NATO Strap
37NPN	Black PVD coating, black pusher
37NRCN	Black PVD coating, pink details / Black leather strap
37R	Pink PVD coating
37RBU	Yellow PVD coating / Blue bezel
37RC	Yellow PVD coating / Leather strap
37RM	Yellow PVD coating / Steel bracelet
357A / 357J	Stainless steel 316L / Yellow PVD coating
357BR	Stainless steel 316L / Brown PVD coating
357B	Stainless steel 316L / Blue PVD coating
357BU	Stainless steel 316L / Blue PVD coating
357BUNCA	Stainless steel 316L / Black PVD coating, blue bezel
357BRR	Stainless steel 316L / Brown and pink PVD coating
357GC / 357GNCA	Stainless steel 316 / Black and Grey PVD coating
357JBUCA	Stainless steel 316L / Pink PVD coating / Blue bezel / Rubber strap
357JCA	Stainless steel 316L / Yellow PVD coating / Rubber strap
357JVM	Stainless steel 316L / Green and yellow PVD coating / Steel bracelet
357RBUM	Stainless steel 316L / Pink PVD coating / Blue PVD bezel / Steel bracelet
357RC	Pink PVD coating / Leather strap
357RCA	Stainless steel 316L / Pink PVD coating / Rubber strap
357RM	Pink PVD coating / Steel bracelet
357N	Stainless steel 316L / Black PVD coating
357NCA	Stainless steel 316L / Pink PVD coating / Black bezel / Rubber strap
357R	Stainless steel 316L / Pink PVD coating
357RCA	Stainless steel 316L / Pink PVD coating / Rubber strap
357RD	Stainless steel 316L / Pink PVD coating, diamonds
357RN	Pink and black PVD coating
357RNCA	Stainless steel 316L / Pink PVD coating / Black PVD bezel / Rubber strap
TINBU1	Titanium / Blue PVD coating
TIN / TINR	Titanium

DIAL VARIATION	
AIBU	Silver / Blue indices
AID / AID2	Silver / Golden indices
AIN / AIN2	Silver / Silver indices
AINO	Silver / Black indices
AIR	Silver / Pink indices
ABUN	Silver / Blue and silver indices
AR	Silver / Roman numberings
BEBN	Beige / Silver Roman numberings
BEBR	Beige / Pink Roman numberings
BEIR	Beige / Pink indices
BER	Beige / Roman numberings
BIBU	White / blue indices
BINN	White / Silver and black indices
BINR	White / Black and pink indices
BIR	White / Pink indices
BRID	Brown / Yellow indices
BRIN	Brown / Silver indices
BRIR	Brown / Pink indices
BU	Blue
BUBEB	Blue / Nickel Breguet numberings
BUBG	Blue / White and grey indices
BUBN	Blue / Silver Breguet numberings
BUIB1	Blue / Black details
BUID	Blue / Golden indices
BUIN / BUIN7	Blue / Silver indices
BUINO	Blue / Silver and orange indices
BUIR	Blue / Pink indices
BUV3	Blue / Green indices
DI	Golden
GID	Grey / Golden indices
GIN	Grey / Silver indices
GIR	Grey / Pink indices
GR3	Grey / Red details
NADN	Mother-of-pearl / Diamonds and silver indices
NADR	Mother-of-pearl / Diamonds and pink indices
NAIN	Mother-of-pearl / Silver indices
NANN	Mother-of-pearl / Black indices
NAIR	Mother-of-pearl / Pink indices
NBN	Black / Silver Breguet numberings
NBUJ	Black / Blue and yellow indices
NBUN	Black / Silver and blue indices
NBUR	Black / Blue and pink indices
NBU	Black / Blue indices
NIBU	Black / Blue indices
NID	Black / Golden indices
NIN / NIN2	Black / Silver indices
NINB	Black / Black and beige indices
NINBU	Black / Silver and blue indices
NING	Black / Black and grey indices
NINJ	Black / Black and yellow indices
NINO	Black / Silver and orange indices
NINRO	Black / Silver and red indices
NIR / NIR7	Black / Pink indices
NBUR	Black / Blue and red indices
NOBU	Black / Orange and blue indices
NOJ / NOJ3	Black / Orange and yellow indices
NOO	Black / Orange indices
NOR	Black / Orange indices
NNO	Black / Black and orange details
NNP18	Black / Northpole 2018 Edition
NNV	Black / Green details
NNR	Black / Pink details
NRO	Black / Red indices
NV	Black / Green indices
VID	Green / Golden indices





Germany
Basel
Les Genevez
Courrendlin
Zurich
Grenchen/Granges
Biel/Bienne
Lucerne
Austria
Bern
Lausanne
Sion
Geneva
France
Italy



Visit Edox at www.edox.ch



EDOX SWISS WATCHES

LA SAGNE AU DROZ 18
CH-2714 LES GENEVEZ
SWITZERLAND

TEL. +41 32 484 70 10 FAX. +41 32 484 70 19
INFO@EDOX.CH WWW.EDOX.CH

@edoxswisswatches

PICTOGRAMS

	ENGLISH	DEUTSCH	ESPAÑOL	РУССКИЙ	日本語	POLSKI	中文	FRANÇAIS	العـربـيـة
	Bestseller	Weltweite Top-Seller	El mejor vendido a nivel mundial	Международный бестселлер	世界的ベストセラー	Międzynarodowy Bestseller	全球暢銷款	Meilleure vente	أفضل المبيعات
	MOVEMENTS	WERK	MOVIMIENTOS	МЕХАНИЗМЫ	ムーブメント	MECHANIZM	機芯	MOUVEMENTS	مكنات الساعة
	Automatic	Automatik	Automático	Автоподзавод	オートマチック	Mechanizm automatyczny	自動機芯	Automatique	أوتوماتيكية
	Manual winding	Handaufzug	Cuerda Manual	Ручной завод	手巻き	Naciąg ręczny	手動上鍊	Remontage manuel	ربط يدوي
Q QUARTZ	Quartz	Quarz	Cuarzo	Кварц	クオーツ	Mechanizm kwarcowy	石英機芯	Quartz	كوارتز
CHM	Chronometer	Chronometer	Cronómetro	Хронометр	クロノメーター	Chronometr	天文表	Chronomètre	كرونومتر
	FUNCTIONS	FUNKTIONEN	FUNCIONES	ФУНКЦИИ	機能	FUNKCJE	功能	FONCTIONS	الوظائف
	Chronograph	Chronograph	Cronógrafo	Хронограф	クロノグラフ	Chronograf	計時碼錶	Chronographe	كرونوغراف
	Split time	Zwischenzeit	Tiempo acumulado	Сплит-хронограф	スプリット機能	Międzyczas	追針	Temps intermédiaire	وقت مستقطع
DAY DATE	Day-date	Tag - Datum	Día - Fecha	День-дата	デイデイト	Datownik	星期日曆	Jour-date	اليوم • التاريخ
1 31	Perpetual Calendar	Perpetueller Kalender	Calendario perpetuo	Вечный календарь	永久カレンダー	Wieczny kalendarz	萬年曆	Calendrier perpétuel	تقويم مستمر
RETROGRADE	Retrograde	Retrograd	Retrógrado	Ретроград	レトログラード	Funkcja retrograde	逆跳	Rétrograde	مؤشر عكسي
	Moon phases	Mondphase	Fases lunares	Фаза луны	ムーンフェイズ	Fazy księżyca	月相盈虧	Phases de lune	مرحلة القمر
2 | 8 BIG DATE	Big date	Grossdatum	Gran fechador	Большая дата	ビックデイト	Duży datownik	日期大視窗	Grande date	تاريخ كبير
REG	Regulator	Regulator	Regulador	Регулятор	レギュレーター	Regulator	三針一線	Régulateur	مُنظّم
GMT	GMT	GMT	GMT	GMT	GMT	Druga strefa czasowa	兩地時間	GMT	توقيت غرينتش GMT
	Diving bezel	Taucherlünette	Bisel de buceo	Вращающийся безель	ダイビングベゼル	Obrotowy pierścień	潛水上圈	Lunette de plongée	إطار خارجي للغوص
	FEATURES	TECHNISCHE ANGABEN	CARACTERISTICAS	ОСОБЕННОСТИ	仕様	CECHY	特色	CARACTÉRISTIQUES	الميزات
XX ATM	Water resistance	Wasserdicht bis xxx Meter	Resistencia al agua xxx	Водозащита до XXX м	XXXm防水	Wodoszczelność do xxx metrów	防水深度XXX米	Etanchéité	مقاومة للماء
	Luminescent hands and/ or indices	Mit Leuchtstoff beschich-tete Zeiger / Indizes	Manecillas y/o índices luminiscentes	Люминесцентные стрелки и/ или индексы	夜光針もしくは夜光インデックス	Luminescencyjne wskazówki i/lub indeksy	夜光指針及或刻度	Aiguilles et/ou index luminescents	عقارب و/ أو مؤشرات مضيئة
	Sapphire crystal	Saphirglas	Cristal zafiro	Сапфировое стекло	サファイヤガラス	Szkło szafirowe	藍寶水石晶	Verre saphir	زجاج كريستال صفيري
	Transparent caseback	Transparenter Gehäuseboden	Fondo de caja trans-parente	Прозрачная задняя крышка корпуса	シースルー・ケースバック	Transparentny dekiel	可透視錶背	Fond transparent	الوجه الخلفي للساعة شفاف
	Edox crown and/or pusher with double O'ring	Krone und/oder Drücker mit doppeltem O'ring	Corona y/o pulsador Edox con doble sello	Заводной ключ и/или кнопки Edox с двойным уплотнением	ダブルOリング付き EDOX リュウズ	Podwójna uszczelka koronki i/lub przycisku	Edox雙防水圈錶冠/按鈕	Couronne et/ou poussoir avec double joint O'ring	تاج مع وحدة إقفال مزدوجة
He	Helium valve	Heliumventil	Válvula de helio	Гелиевый клапан	ヘリウムバルブ	Zawór helowy	排氦氣閥	Valve à hélium	صمام هيليوم
	Screw-down crown	Sicherheitsschraubkrone	Corona de seguridad enroscable	Закручивающаяся защитная коронка	ネジ込み式リュウズ	Zakręcana koronka	旋緊式安全表冠	Couronne vissée	زر تاج مشدود
XX g	Weight	Gewicht	Peso	Вес	重量	Waga	重量	Poids	الوزن
XX	Horn-gap	Bandbreite	Ancho de pulso	Расстояние между ушками	ラグ幅	Rozstaw uszu koperty	錶帶頭銜接處	Entre-corne	المشبك
XX	Case height	Gehäusehöhe	Espesor del reloj	Толщина корпуса	ケースの厚さ	Wysokość koperty	錶殼高度	Hauteur de boîte	ارتفاع العلبة
	MATERIAL	MATERIAL	MATERIAL	МАТЕРИАЛ	素材	MATERIAŁ	材質	MATERIAUX	المادة
ST STEEL	Stainless steel	Rostfreier Edelstahl	Acero inoxidable	Нержавеющая сталь	ステンレススティール	Stal	不銹鋼	Acier inoxydable	فولاذ غير قابل للصدأ
TITANIUM	Titanium	Titan	Titanio	Титан	チタニウム	Tytan	鈦合金	Titane	تيتان
PVD	PVD	PVD	PVD	покрытие	PVD	PVD	PVD	PVD	طلاء PVD
DIAM	Genuine diamonds	Diamanten	Diamantes Genuinos	Бриллианты	ダイヤモンド	Diamenty	鑽石	Diamants véritables	ألماس حقيقي
CARBONE	Carbon	Karbon	Carbono	Карбон	カーボン	Carbon	碳纖維	Carbone	Carbon

Maître Horloger - Les Genevez
depuis 1884